

2024
PRODUCT
CATALOGUE



clamber
stacks®



The original Clamber Stacks®.

The Clamber Stacks® range are designed and manufactured in the UK from sustainably sourced timber.

Since their initial introduction in 2010, the Clamber Stacks® have undergone extensive design and development work to create the trusted Clamber Stacks® brand.

The ability to offer unrivalled value for money whilst still ensuring exceptional quality and longevity is key. The Clamber Stacks® range accommodates all ages, budgets and play scheme sizes. Our uncompromising approach to safety during the design and manufacturing process is paramount. With this in mind the entire Clamber Stacks® range has been independently tested to ensure it is fully compliant with the demanding standards of BS EN 1176.

In order to ensure the highest level of accuracy, all units are produced on a custom made, state of the art, 6 Axis CNC machine. This technology allows us to offer unparalleled accuracy in the field of play timber production.



- 10 year in-ground guarantee.
- Sustainably sourced FSC® certified softwood.
- Pressure treated using the latest generation wood preservative.
- Ideally suited for climates similar to the UK.




- 15 year in-ground guarantee.
- Produced from sustainably sourced Radiata Pine.
- Outstanding treatment properties, which allow the latest generation wood preservative to penetrate the entire timber during pressure treatment.
- Suitable for most climates including hot or wet environments.



- Evalam 15 Laminated timbers come with a 15 year in-ground guarantee
- Evalam 20 have the addition of steel feet which allows us to offer a 20 year guarantee
- Laminated timber glued according to EN 14080:2013 Standard
- Produced from sustainably sourced timber
- Pressure treated using the latest generation wood preservative
- The manufacturing process involved reduces the naturally occurring stress in the timber to give an increased resilience against cracking, even when exposed to longer periods of direct sunlight and consistent high temperatures
- Suitable for most climates including hot or wet environments.



Sorella



CS2



Mezzo



Wrap Around

Steel Feet

Galvanised steel feet offer an alternative to 'in-ground' timbers and can be used in both wet pour surfacing or extended to accommodate loose fill bark. The feet are securely fixed to the timbers prior to dispatch with all fixings concealed.

The Clamber Stacks® range utilises a 2 part wrap around steel foot.

Wrap around steel feet are an optional extra for the following Clamber Stacks and can be added for a small additional charge. Piccolo, all Midi's, Sorella, 1, 2, 3, 3 with slide, 4, 5, 5 with slide, Fratello, Mezzo and Passo.

Wrap around steel feet are fitted as standard on the Clamber Stack Figlio, Zio, Zio with slide, Zietta, Zietta with slide, Madrina, Madrina with slide, Padrino and Padrino with slide regardless of timber type.

Timber Treatment

The ability to offer extensive warranties is in part down to the meticulous treatment process each timber goes through. All timbers are kiln dried at a low temperature to the optimum moisture content. This slow drying process minimises the chances of the timber cracking and ensures the maximum treatment penetration.


The timbers are then pressure treated using the UK's leading wood preservative. This advanced protection offers a comprehensive and proven barrier against the threat of wood decay and insect attack for in ground contact timbers. Once treated, the timbers do not require further coating to ensure they out perform their warranty period.

Warranty

As timber is a natural product it will inevitably react to the conditions it is faced with in an open environment. In the instance of cracking, the timber reacts to the moisture content in the air. During dry spells, cracks may appear which then close up in prolonged periods of wet weather. Any cracks that do appear shall only be deemed to require attention once they exceed 8mm in width.

The treatment will naturally fade from the initial green to a light brown then a silver grey over time. This, along with the weathering process, does not indicate any loss of preservative protection.

Full warranty and maintenance documents are available on request.




CS5 with Slide

Padrino

Clamber Stack Piccolo with Ropes


Product Dimensions
 2030mm (L) 1810mm (W) 1675mm (H)
 Minimum surface area: 19.2m²
 5116mm (L) 4853mm (W)
 Free fall height: 599mm
 No impact attenuating surface required.
 Steel feet option available*
 Also available without ropes.



Steel feet


Galvanised steel feet can be fitted to the Piccolo, Midi, Midi with Deck, Midi with Slide and Sorella for a small additional charge.

Adding steel feet to these units will increase the free fall height by an additional 300mm




Clamber Stack Midi

Product Dimensions
 2510mm (L) 2295mm (W) 1800mm (H)
 Minimum surface area: 23.1m²
 6042mm (L) 5292mm (W)
 Free fall height: 900mm
 Steel feet option available*
 Bespoke rope colours available



Clamber Stack Midi with Deck

Product Dimensions
 3140mm (L) 2510mm (W) 1800mm (H)
 Minimum surface area: 27.4m²
 6544mm (L) 6140mm (W)
 Free fall height: 900mm
 Steel feet option available*
 Bespoke rope colours available



Bespoke rope colours and play panel designs available.


Clamber Stack Midi with Plastic Slide

Product Dimensions
 4417mm (L) 2720mm (W) 1800mm (H)
 Minimum surface area: 32.9m²
 8164mm (L) 6651mm (W)
 Free fall height: 900mm
 Steel feet option available*
 Bespoke rope colours available



Clamber Stack Midi with Stainless Steel Slide

Product Dimensions
 4547mm (L) 2792mm (W) 1800mm (H)
 Minimum surface area: 33.4m²
 8195mm (L) 6617mm (W)
 Free fall height: 900mm
 Steel feet option available*
 Bespoke rope colours available



Clamber Stack Sorella with Ropes



Product Dimensions
 3620mm (L) 3200mm (W) 1750mm (H)
 Minimum surface area: 28.7m²
 6619mm (L) 6203mm (W)
 Free fall height: 599mm
 No impact attenuating surface required.
 Steel feet option available*
 Also available without ropes.



Bespoke rope colours and play panel designs available.

Clamber Stack 1

Product Dimensions
 2462mm (L) 2808mm (W) 2550mm (H)
 Minimum surface area: 26.3m²
 5741mm (L) 6401mm (W)
 Free fall height: 1500mm
 Steel feet option available
 Bespoke rope colours available





Steel feet

Galvanised steel feet can be fitted to the Clamber Stack 1, 2, Fratello and Mezzo for a small additional charge. Steel feet offer an alternative to in-ground timbers and can be used in both wet pour and extended for loose fill surfacing.

Clamber Stack 2



Product Dimensions
 3965mm (L) 3051mm (W) 2700mm (H)
 Minimum surface area: 32.8m²
 6218mm (L) 7512mm (W)
 Free fall height: 1500mm
 Steel feet option available
 Bespoke rope colours available



Steel feet and bespoke rope colours available.



Clamber Stack Fratello

Product Dimensions
 5573mm (L) 3255mm (W) 3000mm (H)
 Minimum surface area: 37.1m²
 8535mm (L) 5936mm (W)
 Free fall height: 1267mm
 Steel feet option available
 Bespoke rope colours available



Clamber Stack Mezzo

Product Dimensions
 5822mm (L) 3833mm (W) 2850mm (H)
 Minimum surface area: 42.1m²
 8817mm (L) 6833mm (W)
 Free fall height: 1500mm
 Steel feet option available
 Bespoke rope colours available



Steel feet and bespoke rope colours available.


Clamber Stack 3

Product Dimensions
 5462mm (L) 3982mm (W) 2700mm (H)
 Minimum surface area: 42.1m²
 8965mm (L) 7132mm (W)
 Free fall height: 1500mm
 Steel feet option available
 Bespoke rope colours available



Clamber Stack Passo

Product Dimensions
 6000mm (L) 5480mm (W) 2700mm (H)
 Minimum surface area: 58.6m²
 9038mm (L) 8463mm (W)
 Free fall height: 1500mm
 Steel feet option available
 Bespoke rope colours available



Steel feet

Galvanised steel feet can be fitted to the Clamber Stack 3, 3 with Slide, Passo and 4 for a small additional charge. Steel feet offer an alternative to in-ground timbers and can be used in both wet pour and extended for loose fill surfacing.
 Adding steel feet to the Clamber Stack 4 will increase the free fall height by an additional 200mm


Clamber Stack 3 with Stainless Steel Slide


Product Dimensions
 6267mm (L) 5694mm (W) 2700mm (H)
 Minimum surface area: 54m²
 9979mm (L) 9542mm (W)
 Free fall height: 1600mm
 Steel feet option available
 Bespoke rope colours available



Clamber Stack 4



Product Dimensions
 6462mm (L) 3126mm (W) 2925mm (H)
 Minimum surface area: 44.8m²
 10055mm (L) 6130mm (W)
 Free fall height: 1500mm
 Steel feet option available
 Adding steel feet increases the free fall height to 1700mm
 Bespoke rope and HDPE colours available





Clamber Stack 5

Product Dimensions
 7061mm (L) 4450mm (W) 3000mm (H)
 Minimum surface area: 60.3m²
 10302mm (L) 7672mm (W)
 Free fall height: 1800mm
 Steel feet option available
 Bespoke rope and HDPE colours available



Steel feet




Galvanised steel feet can be fitted on all Clamber Stacks for a small additional charge. Steel feet offer an alternative to in-ground timbers and can be used in both wet pour and extended for loose fill surfacing.

Bespoke rope colours and play panel designs available.



Clamber Stack 5 with Stainless Steel Slide

Product Dimensions
 8020mm (L) 6754mm (W) 3000mm (H)
 Minimum surface area: 75.3m²
 11783mm (L) 10984mm (W)
 Free fall height: 1900mm
 Steel feet option available
 Bespoke rope and HDPE colours available




Clamber Stack Figlio

Product Dimensions
 6936mm (L) 5278mm (W) 2700mm (H)
 Minimum surface area: 67.2m²
 10185mm (L) 8446mm (W)
 Free fall height: 1550mm
 Steel feet as standard
 Bespoke rope colours available

Bespoke rope colours and play panel designs available.

Clamber Stack Zio

Product Dimensions
 8535mm (L) 6141mm (W) 2835mm (H)
 Minimum surface area: 79.2m²
 12099mm (L) 9471mm (W)
 Free fall height: 1870mm
 Steel feet as standard
 Bespoke rope colours available



Clamber Stack Zio with Stainless Steel Slide

Product Dimensions
 11560mm (L) 6141mm (W) 2875mm (H)
 Minimum surface area: 90.3m²
 15187mm (L) 9471mm (W)
 Free fall height: 1900mm
 Steel feet as standard
 Bespoke rope colours available

Bespoke rope colours available.



Clamber Stack Zietta

Product Dimensions
 8627mm (L) 8233mm (W) 2700mm (H)
 Minimum surface area: 91.5m²
 11881mm (L) 11548mm (W)
 Free fall height: 1550mm
 Steel feet as standard
 Bespoke rope colours available



Steel feet

Galvanised steel feet are fitted as standard on the Clamber Stack Figlio, Zio, Zio with slide, Zietta, Zietta with slide, Madrina, Madrina with slide, Padrino and Padrino with slide.

Clamber Stack Zietta with Stainless Steel Slide


Product Dimensions
 11651mm (L) 9564mm (W) 2875mm (H)
 Minimum surface area: 103.5m²
 15449mm (L) 13114mm (W)
 Free fall height: 1900mm
 Steel feet as standard
 Bespoke rope colours available



Bespoke rope colours available.


Clamber Stack Madrina

Product Dimensions
 8628mm (L) 8304mm (W) 2835mm (H)
 Minimum surface area: 101.4m²
 12021mm (L) 11581mm (W)
 Free fall height: 1870mm
 Steel feet as standard
 Bespoke rope colours available



Clamber Stack Madrina with Stainless Steel Slide

Product Dimensions
 11651mm (L) 8304mm (W) 2875mm (H)
 Minimum surface area: 112.8m²
 15560mm (L) 11594mm (W)
 Free fall height: 1900mm
 Steel feet as standard
 Bespoke rope colours available




Bespoke rope colours available.



Clamber Stack Padrino

Product Dimensions
 9713mm (L) 8632mm (W) 2835mm (H)
 Minimum surface area: 120.4m²
 13101mm (L) 11992mm (W)
 Free fall height: 1870mm
 Steel feet as standard
 Bespoke rope colours available



Steel feet



Galvanised steel feet are fitted as standard on the Clamber Stack Figlio, Zio, Zio with slide, Zietta, Zietta with slide, Madrina, Madrina with slide, Padrino and Padrino with slide.

Bespoke rope colours available.



Clamber Stack Padrino with Stainless Steel Slide

Product Dimensions
 11610mm (L) 9710mm (W) 2875mm (H)
 Minimum surface area: 131.7m²
 15560mm (L) 13041mm (W)
 Free fall height: 1900mm
 Steel feet as standard
 Bespoke rope colours available





Steel feet

Galvanised steel feet are fitted as standard on the Clamber Stack Figlio, Zio, Zio with slide, Zietta, Zietta with slide, Madrina, Madrina with slide, Padrino and Padrino with slide.

Bespoke rope colours available.

Clamber Tower 2



Product Dimensions
 6091mm (L) 4842mm (W) 2678mm (H)
 Minimum surface area: 54.32m²
 9257mm (L) 8535mm (W)
 Free fall height: 1500mm
 Steel feet as standard
 Bespoke rope colours available



Clamber Tower 2 Castle

Product Dimensions
 6636mm (L) 4842mm (W) 3535mm (H)
 Minimum surface area: 54.54m²
 9802mm (L) 8535mm (W)
 Free fall height: 1500mm
 Steel feet as standard
 Bespoke rope colours available



Download our Timber Towers
 brochure online at
www.aeevans.co.uk/brochures.



Bespoke rope colours available.

Clamber Tower Mezzo

Product Dimensions
6372mm (L) 5978mm (W) 2854mm (H)
Minimum surface area: 63.91m²
9366mm (L) 9477mm (W)
Free fall height: 1500mm
Steel feet as standard
Bespoke rope colours available



Download our Timber Towers
brochure online at
www.aeevans.co.uk/brochures.




Steel feet

Galvanised steel feet are fitted as standard on the Clamber Tower 2, Mezzo, 3, 2 Castle, 3 Double Deck Castle and 3 Triple Deck Castle.

Clamber Tower 3 Double Deck Castle



Product Dimensions
9484mm (L) 5543mm (W) 3740mm (H)
Minimum surface area: 78.91m²
13081mm (L) 8467mm (W)
Free fall height: 1500mm
Steel feet as standard
Bespoke rope colours available



Bespoke rope colours available.


Clamber Tower 3

Product Dimensions
7141mm (L) 4278mm (W) 2700mm (H)
Minimum surface area: 63.18m²
10272mm (L) 7990mm (W)
Free fall height: 1500mm
Steel feet as standard
Bespoke rope colours available



Clamber Tower 3 Triple Deck Castle

Product Dimensions
9484mm (L) 8203mm (W) 3737mm (H)
Minimum surface area: 91.54m²
13081mm (L) 11129mm (W)
Free fall height: 1500mm
Steel feet as standard
Bespoke rope colours available



Bespoke rope colours available.

Timber Towers



Timber Towers



Single Deck Unit 1

Product Dimensions
3411mm (L) 1018mm (W) 1845mm (H)

Minimum Surface Area: 23.52m²
6878mm (L) 4018mm (W)

Free Fall Height: 900mm



Single Deck Unit 3

Product Dimensions
3620mm (L) 2147mm (W) 3201mm (H)

Minimum Surface Area: 26.44m²
7073mm (L) 5140mm (W)

Free Fall Height: 1200mm



Single Deck Unit 2

Product Dimensions
4145mm (L) 1082mm (W) 3147mm (H)

Minimum Surface Area: 25.61m²
7614mm (L) 4018mm (W)

Free Fall Height: 1200mm




Single Deck Unit 4

Product Dimensions
5550mm (L) 2094mm (W) 2970mm (H)

Minimum Surface Area: 32.97m²
8984mm (L) 5102mm (W)

Free Fall Height: 1500mm

Timber Towers




Double Deck Unit 1

Product Dimensions
5837mm (L) 2717mm (W) 2320mm (H)

Minimum Surface Area: 37.48m²
9289mm (L) 5706mm (W)

Free Fall Height: 1327mm



Double Deck Unit 2

Product Dimensions
5744mm (L) 4145mm (W) 2310mm (H)

Minimum Surface Area: 45.82m²
8734mm (L) 7614mm (W)

Free Fall Height: 1200mm



Double Deck Unit 3

Product Dimensions
6613mm (L) 1669mm (W) 3149mm (H)

Minimum Surface Area: 39.05m²
10082mm (L) 4607mm (W)

Free Fall Height: 1200mm

Timber Towers

Double Deck Unit 4

Product Dimensions
7507mm (L) 1835mm (W) 3501mm (H)

Minimum Surface Area: 40.61 m²
10976mm (L) 4791mm (W)

Free Fall Height: 1500mm



Double Deck Unit 5

Product Dimensions
5124mm (L) 4183mm (W) 2945mm (H)

Minimum Surface Area: 50.04m²
8592mm (L) 7236mm (W)

Free Fall Height: 1800mm



Bespoke Towers available, enquire for more information.

Timber Towers

Alt Double Deck Unit 1

Product Dimensions
4678mm (L) 3090mm (W) 3149mm (H)

Minimum Surface Area: 34.61 m²
8136mm (L) 6143mm (W)

Free Fall Height: 1200mm



Alt Double Deck Unit 2

Product Dimensions
5711mm (L) 3099mm (W) 3799mm (H)

Minimum Surface Area: 36.67m²
9173mm (L) 6082mm (W)

Free Fall Height: 1800mm



Steel feet as standard, bespoke rope colours available.

Timber Towers




Alt Double Deck Unit 3

Product Dimensions
6706mm (L) 2841mm (W) 2605mm (H)

Minimum Surface Area: 41.6m²
10175mm (L) 5813mm (W)

Free Fall Height: 1500mm




Alt Double Deck Unit 4

Product Dimensions
4233mm (L) 3880mm (W) 3699mm (H)

Minimum Surface Area: 35.57m²
7363mm (L) 7216mm (W)

Free Fall Height: 1500mm





Timber Towers

Triple Deck Unit 1

Product Dimensions
6638mm (L) 4081mm (W) 2310mm (H)

Minimum Surface Area: 52.58m²
10090mm (L) 7036mm (W)

Free Fall Height: 1200mm




Triple Deck Unit 2

Product Dimensions
6377mm (L) 5803mm (W) 3699mm (H)

Minimum Surface Area: 53.78m²
9846mm (L) 8786mm (W)

Free Fall Height: 1500mm




Timber Towers

Triple Deck Unit 3

Product Dimensions
7099mm (L) 4489mm (W) 3399mm (H)

Minimum Surface Area: 56.78m²
10054mm (L) 7958mm (W)

Free Fall Height: 1500mm




Triple Deck Unit 4

Product Dimensions
6982mm (L) 5059mm (W) 3449mm (H)

Minimum Surface Area: 54.83m²
10435mm (L) 7992mm (W)

Free Fall Height: 1677mm



Bespoke Towers available, enquire for more information.




Timber Towers

Four Deck Unit 1

Product Dimensions
6546mm (L) 4664mm (W) 3149mm (H)

Minimum Surface Area: 58.06m²
9410mm (L) 7620mm (W)

Free Fall Height: 1200mm



Four Deck Unit 2

Product Dimensions
7508mm (L) 4630mm (W) 3501mm (H)

Minimum Surface Area: 69.74m²
10977mm (L) 7576mm (W)

Free Fall Height: 1500mm

Steel feet as standard, bespoke rope colours available.

Timber Towers

Four Deck Unit 3

Product Dimensions
8194mm (L) 5243mm (W) 3449mm (H)

Minimum Surface Area: 74.33m²
11186mm (L) 8196mm (W)

Free Fall Height: 1500mm




Four Deck Unit 4

Product Dimensions
10371mm (L) 4131mm (W) 2970mm (H)

Minimum Surface Area: 62.32m²
13360mm (L) 7600mm (W)

Free Fall Height: 1500mm



Bespoke Towers available, enquire for more information.


Timber Towers

Alt Four Deck Unit 1

Product Dimensions
6313mm (L) 6107mm (W) 3799mm (H)

Minimum Surface Area: 63.92m²
9289mm (L) 9099mm (W)

Free Fall Height: 1895mm




Alt Four Deck Unit 2

Product Dimensions
9403mm (L) 8049mm (W) 2905mm (H)

Minimum Surface Area: 79.2m²
13332mm (L) 11038mm (W)

Free Fall Height: 1800mm



Steel feet as standard, bespoke rope colours available.


Timber Towers

Alt Four Deck Unit 3

Product Dimensions
7787mm (L) 5579mm (W) 2745mm (H)

Minimum Surface Area: 68.53m²
11249mm (L) 8718mm (W)

Free Fall Height: 1800mm




Castle Tower 1

Product Dimensions
3965mm (L) 2524mm (W) 3425mm (H)

Minimum Surface Area: 28.96m²
7408mm (L) 5449mm (W)

Free Fall Height: 1500mm



Bespoke Towers available, enquire for more information.



Timber Towers

Castle Tower 2

Product Dimensions
4696mm (L) 4145mm (W) 3191mm (H)

Minimum Surface Area: 40.33m²
7614mm (L) 7554mm (W)

Free Fall Height: 1327mm



Castle Tower 3

Product Dimensions
5185mm (L) 4145mm (W) 3241mm (H)

Minimum Surface Area: 41.6m²
8169mm (L) 7614mm (W)

Free Fall Height: 1200mm

Steel feet as standard, bespoke rope colours available.

Timber Towers

Castle Tower 4

Product Dimensions
4717mm (L) 3903mm (W) 3490mm (H)

Minimum Surface Area: 41.31m²
7625mm (L) 7371mm (W)

Free Fall Height: 1500mm





Castle Tower 5

Product Dimensions
5684mm (L) 3965mm (W) 3460mm (H)

Minimum Surface Area: 42.57m²
8693mm (L) 7417mm (W)

Free Fall Height: 1500mm



Timber Towers




Castle Tower 6

Product Dimensions
5242mm (L) 4603mm (W)
3491mm (H)

Minimum Surface Area: 51.32m²
8167mm (L) 7611mm (W)

Free Fall Height: 1500mm




Castle Tower 7

Product Dimensions
9085mm (L) 6029mm (W)
3841mm (H)


Minimum Surface Area: 65.73m²
12531mm (L) 9029mm (W)

Free Fall Height: 1927mm



Bespoke Towers available, enquire for more information.

Steel feet as standard, bespoke rope colours available.





Castle Tower 8

Product Dimensions
6920mm (L) 5548mm (W) 3741mm (H)

Minimum Surface Area: 71.05m²
10390mm (L) 8556mm (W)

Free Fall Height: 1500mm




Castle Tower 9


Product Dimensions
7599mm (L) 5119mm (W) 3491mm (H)

Minimum Surface Area: 65.84m²
10697mm (L) 8134mm (W)

Free Fall Height: 1500mm



Timber Towers




Castle Tower 10

Product Dimensions
9243mm (L) 7490mm (W) 4041mm (H)

Minimum Surface Area: 97.08m²
12251mm (L) 10929mm (W)

Free Fall Height: 1895mm



Bespoke Towers available, enquire for more information.


Timber Towers

Clamber Tower 2

Product Dimensions
6091mm (L) 4842mm (W) 2678mm (H)

Minimum Surface Area: 54.32m²
9257mm (L) 8535mm (W)

Free Fall Height: 1500mm




Clamber Tower 2 Castle

Product Dimensions
6636mm (L) 4842mm (W)
3535mm (H)

Minimum Surface Area: 54.54m²
9802mm (L) 8535mm (W)

Free Fall Height: 1500mm



Steel feet as standard, bespoke rope colours available.



Timber Towers

Clamber Tower Mezzo

Product Dimensions
6372mm (L) 5978mm (W) 2854mm (H)

Minimum Surface Area: 63.91m²
9366mm (L) 9477mm (W)

Free Fall Height: 1500mm




Download our Clamber Stacks brochure online at www.aeevans.co.uk/brochures.

Clamber Tower 3 Double Deck Castle

Product Dimensions
9484mm (L) 5543mm (W) 3740mm (H)

Minimum Surface Area: 78.91m²
13081mm (L) 8467mm (W)

Free Fall Height: 1500mm



Bespoke Towers available, enquire for more information.



Timber Towers

Clamber Tower 3

Product Dimensions
7141mm (L) 4278mm (W) 2700mm (H)

Minimum Surface Area: 63.18m²
10272mm (L) 7990mm (W)

Free Fall Height: 1500mm




Clamber Tower 3 Triple Deck Castle


Product Dimensions
9484mm (L) 8203mm (W) 3737mm (H)

Minimum Surface Area: 91.54m²
13081mm (L) 11129mm (W)

Free Fall Height: 1500mm



Steel feet as standard, bespoke rope colours available.




Castle Slide Unit

Product Dimensions
3830mm (L) 1090mm (W) 2270mm (H)

Minimum Surface Area: 24.5m²
7160mm (L) 3990mm (W)

Free Fall Height: 900mm



Boat Slide Unit

Product Dimensions
3830mm (L) 1120mm (W) 2170mm (H)

Minimum Surface Area: 24.5m²
7160mm (L) 3990mm (W)

Free Fall Height: 900mm




Dump Truck Slide Unit

Product Dimensions
4040mm (L) 1060mm (W) 1810mm (H)

Minimum Surface Area: 24.5m²
7160mm (L) 3990mm (W)

Free Fall Height: 900mm



Elephant Slide Unit

Product Dimensions
4040mm (L) 1070mm (W)
1730mm (H)

Minimum Surface Area: 24.5m²
7160mm (L) 3990mm (W)

Free Fall Height: 900mm



Fire Engine Slide Unit

Product Dimensions
3880mm (L) 1070mm (W) 1810mm (H)

Minimum Surface Area: 24.5m²
7160mm (L) 3990mm (W)


Free Fall Height: 900mm

Rocket Slide Unit

Product Dimensions
3840mm (L) 1180mm (W) 2460mm (H)

Minimum Surface Area: 24.5m²
7160mm (L) 3990mm (W)

Free Fall Height: 900mm



Submarine Slide Unit

Product Dimensions
4040mm (L) 1170mm (W) 2310mm (H)

Minimum Surface Area: 24.5m²
7160mm (L) 3990mm (W)

Free Fall Height: 900mm



Whale Slide Unit

Product Dimensions
3970mm (L) 1180mm (W) 2270mm (H)

Minimum Surface Area: 24.5m²
7160mm (L) 3990mm (W)

Free Fall Height: 900mm



clamber castle



A E Evans, creators of the original Clamber Stacks present the Clamber Castle.....

Throughout the design and development of the Clamber Castle, A E Evans have worked closely with the Play Inspection Company. This close collaboration has enabled the Clamber Castle to be designed and developed following the strict guidelines set out in the British standards EN 1176.



Available in



- 10 year in-ground guarantee.
- Sustainably sourced FSC® certified softwood.
- Pressure treated using the latest generation wood preservative.
- Ideally suited for climates similar to the UK.



- 15 year in-ground guarantee.
- Produced from sustainably sourced Radiata Pine.
- Outstanding treatment properties, which allow the latest generation wood preservative to penetrate the entire timber during pressure treatment.
- Suitable for most climates including hot or wet environments.



- EvaLam 15 Laminated timbers come with a 15 year in-ground guarantee
- EvaLam 20 have the addition of steel feet which allows us to offer a 20 year guarantee
- Laminated timber glued according to EN 14080:2013 Standard
- Produced from sustainably sourced timber
- Pressure treated using the latest generation wood preservative
- The manufacturing process involved reduces the naturally occurring stress in the timber to give an increased resilience against cracking, even when exposed to longer periods of direct sunlight and consistent high temperatures
- Suitable for most climates including hot or wet environments.




Technical Information

Product Dimensions (without safety surface)
Length: 12872mm
Width: 10455mm
Height: 4163mm

Maximum Free Fall Height: 2.1m

Safety Surface Dimensions
Length: 16521 mm
Width: 13830mm
Total Area Required: 153.81 m2

Bespoke Rope Colours Available



EVOLUTION OF CLAMBER

2010



Clamber Stack 1, 2 & 3

2013




Clamber Stack Piccolo, Mezzo, Midi & Fratello

2016




Clamber Stack 4, 5 & Passo

2018



Clamber Stack Figlio, Zio & Zietta

2020



Clamber Stack Madrina & Padrino

2021



clamber castle

The EvaPlay 'Clamber Castle' from A E Evans brings together the incredibly popular Clamber Stacks® and our new generation Timber Tower ranges to produce a truly unique playground unit with the ultimate wow factor.

The combination of our widest variety of individual elements ever allows for an extensive number of children of varying age ranges to play side by side. Multiple entry and exit points allows the user to freely explore the structure improving their climbing, balancing and traversing skills. The tried and tested sliding and climbing wall elements are teamed with scramble nets and balance challenges to offer increased excitement and a greater solo or group play experience.

The intricate design of The Clamber Castle will captivate children's imagination to explore and conquer every aspect of the Castle from the darkest dungeon to the lavish throne room.

Whether it's King Arthur and his Knights of the Round Table or imagining an Ogre and a Princess and their 'Far Far Away Kingdom', The Clamber Castle offers an endless world of play and imagination!

Children will enter a world of imagination helping to develop their cognitive and social skills whilst also experiencing substantial fitness benefits.



Throne Room



Under Deck Dungeon



Under Deck Armoury



Stables



Rapunzel Climb Wall




Beanstalk Climb Wall



Timber Ships



Timber Ships



Ships Bow

Product Dimensions

4475mm (L) 3009mm (W) 2874mm (H)

Minimum Surface Area: 32.04m²


7146mm (L) 6008mm (W)

Free Fall Height: 1090mm

Deck Heights: 600 & 900mm

Features:

Access Ramp,
Climbing Panels,
Cargo Net,
Balance Walks,
Step Up Logs,
Treasure Map & Pirate Flags,
Themed HDPE Panels,
Stainless Steel Telescope



Bespoke Towers available, enquire for more information.

Timber Ships



Ships Stern

Product Dimensions

4181mm (L) 4281mm (W) 3078mm (H)

Minimum Surface Area: 37.47m²

7755mm (L) 7153mm (W)

Free Fall Height: 1500mm

Deck Heights: 1200 & 1500mm

Features:

1.5m Slide,
1.2m Access Net,
1.2m Access Steps,
1.2m Climbing Wall,
1.2m Firemans Pole,
Moving Ships Wheel,
Moving Compass,
Themed HDPE Panels,
Under Deck Pirates Details



Under Deck Pirate Themed HDPE Details



Steel feet as standard.

Timber Ships



Weigh Anchor

Product Dimensions
10,261mm (L) 4181mm (W) 3078mm (H)

Minimum Surface Area: 66.21m²
13,402mm (L) 7153mm (W)

Free Fall Height: 1500mm

Deck Heights: 600, 900, 1200 & 1500mm

- Features:**
- 1.5m Slide,
 - 1.2m Access Net,
 - 1.2m Access Steps,
 - 1.2m Climbing Wall,
 - 1.2m Firemans Pole,
 - 0.9m Access Ramp,
 - Climbing Panels,
 - Cargo Net,
 - Balance Walks,
 - Step Up Logs,
 - Moving Ships Wheel,
 - Moving Compass,
 - Treasure Map & Pirate Flags,
 - Themed HDPE Panels,
 - Under Deck Pirates Details
 - Stainless Steel Telescope



Bespoke Towers available, enquire for more information.

Timber Ships



Crows Nest

Product Dimensions
4388mm (L) 2706mm (W) 4274mm (H)

Minimum Surface Area: 32.72m²
7347mm (L) 5462mm (W)

Free Fall Height: 1500mm

Deck Heights: 900 & 1500mm

- Features:**
- 0.9m Access Ramp,
 - 0.9m Access Nets,
 - 0.9m Ladder Log,
 - Play Balconies,
 - Themed HDPE,
 - Stainless Steel Telescope

Crows Nest with Slide

Product Dimensions
4388mm (L) 4826mm (W) 4274mm (H)

Minimum Surface Area: 41.63m²
7347mm (L) 8272mm (W)

Free Fall Height: 1500mm

Deck Heights: 900 & 1500mm

- Features:**
- Crows Nest with Balcony removed and 1.5m Slide added.

Steel feet as standard.

Timber Ships

Batten Down The Hatches

Product Dimensions

14,821mm (L) 4388mm (W) 4284mm (H)

Minimum Surface Area: 95.13m²

17,963mm (L) 7347mm (W)


Free Fall Height: 1500mm

Deck Heights: 600, 900, 1200 & 1500mm

Features:

1.5m Slide,
1.2m Access Net,
1.2m Access Steps,
1.2m Climbing Wall,
1.2m Firemans Pole,
0.9m Access Ramp,
0.9m Access Nets,
0.9m Ladder Log,
Play Balconies,
Climbing Panels,
Cargo Net,
Balance Walks,
Step Up Logs,

Moving Ships Wheel,
Moving Compass,
Treasure Map & Pirate Flags,
Themed HDPE Panels,
Under Deck Pirates Details
Stainless Steel Telescope



Ships Stern

Crows Nest

Ships Bow

Bespoke Towers available, enquire for more information.

Timber Ships

Swab The Decks

Product Dimensions

6790mm (L) 4273mm (W) 4874mm (H)

Minimum Surface Area: 49.05m²

10,437mm (L) 7262mm (W)

Free Fall Height: 2000mm

Deck Heights: 1500, 1800 & 2000mm



Features:

2m Slide,
1.8m Vertical Climbing Nets,
1.5m Access Net,
1.5m Access Ramp,
Moving Ships Wheel,
Moving Compass,
Treasure Map & Chest,
Canon Play Panel,
Themed HDPE Panels,
Under Deck Bench

Steel feet as standard.

Timber Ships

Shiver Me Timbers

Product Dimensions
12,973mm (L) 4082mm (W) 4874mm (H)

Minimum Surface Area: 78.3m²
16,088mm (L) 6928mm (W)

Free Fall Height: 1800mm

Deck Heights: 1200, 1500 & 1800mm



Features:
1.8m Slide,
1.5m Fireman's Pole,
1.5m Access Ramp,
1.5m Ladder Logs,
1.5m Climbing Wall,
Rope Bridge,
Rope Tunnel,
Climb Net,
Balance Beams,

Features:
Cannon Play Panels,
Moving Ships Wheel,
Moving Compass,
Treasure Map & Chest,
Themed HDPE Play Panels,
Under Deck Cargo Net,
Under Deck Pirates Details
Stainless Steel Telescope



Bespoke Towers available, enquire for more information.

Timber Ships


Walk The Plank

Product Dimensions
7789mm (L) 6307mm (W) 3612mm (H)

Minimum Surface Area: 68.96m²
10,569mm (L) 9706mm (W)

Free Fall Height: 1800mm

Deck Heights: 1200, 1500 & 1800mm



Features:
Traverse Nets,
1.5m Slide,
1.5m Fireman's Pole,
1.2m Climbing Walls,
1.2m T-Rope Climber,
1.2m Ladder Log,
Climbing Panels,
Cargo Net,
Climb Net,
Balance Walks,

Play Balcony,
Cannon Play Panels,
Moving Ships Wheel,
Moving Compass,
Treasure Map & Chest,
Under Deck Pirates Details,
Themed HDPE Panels,
Stainless Steel Telescope

Under Deck Pirate Themed HDPE Details



Steel feet as standard.

Timber Ships

All Hands On Deck

Product Dimensions
14,504mm (L) 6307mm (W) 4874mm (H)


Minimum Surface Area: 108.27m²
17,502mm (L) 9807mm (W)

Free Fall Height: 2000mm

Deck Heights: 1200, 1500,
1800 & 2100mm

Features:

Traverse Nets,
2m and 1.5m Slides,
1.5m Fireman's Pole,
1.5m Access Net,
1.5m Access Ramp,
1.5m Climbing Walls,
1.2m T-Rope Climber,
1.2m Ladder Log,
Climbing Panels,
Cargo Net,
Balance Walks,
Play Balconies,
Cannon Play Panels,
Moving Ships Wheel,
Moving Compass,
Treasure Map & Chest,
Under Deck Pirates Details,
Themed HDPE Panels,
Stainless Steel Telescope



Timber Ships

All Hands On Deck with Tube Slide


Product Dimensions
13,692mm (L) 6307mm (W) 4874mm (H)

Minimum Surface Area: 107.24m²
16,683mm (L) 9807mm (W)

Free Fall Height: 2100mm

Deck Heights: 1200, 1500,
1800 & 2100mm


2.1m Plastic Tube Slide
replaces 2m Steel Slide.



Under Deck Pirate
Themed HDPE Details

Adventure Trails





Balance Walk
L 2400 W 125 H 433mm
FFH 433mm

Sloping Balance Walk
L 2400 W 125 H 434mm
FFH 434mm

Balance Junction
L 2400 W 2400 H 550mm
FFH 550mm


Balance Beam
L 2400 W 200 H 435mm
FFH 435mm

V Balance Beam
L 2002 W 2050 H 470mm
FFH 470mm

Balance Challenge
L 6900 W 1600 H 434mm
FFH 434mm

Three Bar Balance
L 5500 W 1115 H 511mm
FFH 511mm

Low Log Roll
L 3300 W 200 H 500mm
FFH 500mm



Balance Slalom
L 3250 W 1200 H 585mm
FFH 585mm

Sloping Balance Weave
L 2792 W 375 H 1800mm
FFH 555mm

Double Sloping Balance Weave
L 4589 W 1150 H 1800mm
FFH 570mm

Walk and Stretch
L 2225 W 635 H 1000mm
FFH 300mm

Balance Weave
L 2800 W 375 H 1800mm
FFH 450mm

Log Snake Weaver
L 1790 W 661 H 1500mm
FFH 300mm

Log Snake
L 1565 W 410 H 500mm
FFH 500mm

Log Stack
L 1250 W 1800 H 560mm
FFH 560mm

150mm Stepping Logs (set of 4)
L 400 W 150 H 400mm
FFH 400mm

200mm Stepping Logs (set of 4)
L 400 W 200 H 400mm
FFH 400mm



Steel feet


Galvanised steel feet can be fitted on all Timber Trails for a small additional charge. Steel feet offer an alternative to in-ground timbers and can be used in both wet pour and extended for loose fill surfacing.



600mm Wobble Board
L 600 W 195 H 380mm
FFH 600mm ▶




1.6m Wobble Board
L 1600 W 195 H 380mm
FFH 600mm ▼



Tightrope Crossing
L 4695 W 850 H 1200mm
FFH 400mm ▼



Parallel Bars
L 2400 W 725 H 1175mm
FFH 1175mm ◀



Leap Frog ▶
L 9125 W 125 H 600mm
FFH 600mm




Free Standing Tunnel ▲
L 1338 W 850 H 965mm
FFH 135mm




Log Hurdles ▲
L 8125 W 2400 H 903mm
FFH 903mm



Roll Over Bars
L 3200 W 125 H 1100mm
FFH 1100mm ▼




1.5m Chin Ups ▲
L 3200 W 125 H 1500mm
FFH 1500mm




Crawl Net
L 2107 W 1179 H 599mm
FFH 599mm ▼



Spider Web Net
L 3243 W 3243 H 1500mm
FFH 459mm ▼




Rope Junction
L 2850 W 1500 H 1600mm
FFH 575mm ▼




Wobble Log Bridge
L 2700 W 1200 H 1700mm
FFH 536mm ◀




Rope Crossing
L 2650 W 1000 H 1400mm
FFH 450mm ◀




Wobble Bridge
L 2700 W 1200 H 1400mm
FFH 513mm ◀



Burma Bridge ▲
L 3000 W 1125 H 1450mm
FFH 523mm



Suspension Bridge
L 2225 W 1300 H 1400mm
FFH 513mm ◀




Steel feet

Galvanised steel feet can be fitted on all Timber Trails for a small additional charge. Steel feet offer an alternative to in-ground timbers and can be used in both wet pour and extended for loose fill surfacing.






Rope Bridge
L 2650 W 1125 H 1400mm
FFH 1400mm




Underground Tunnel
L 1925 W 1450 H 1200mm
FFH Dependant on mound
Mound not included.


Rope Tunnel
L 2700 W 1000 H 1425mm
FFH 1425mm




Sleeper Tunnel With Steps
L 2400 W 1390 H 1700mm
FFH 859mm



Slalom Rope Walk
L 4322 W 695 H 1800mm
FFH 458mm




Cross Rope
L 3350 W 250 H 2700mm
FFH 1000mm




Rope Walk
L 3350 W 250 H 2700mm
FFH 460mm


Drop Rope Traverse
L 3350 W 300 H 2500mm
FFH 521mm



Tarzan Traverse
L 3350 W 300 H 2700mm
FFH 520mm




Log Rope
L 3000 W 450 H 2575mm
FFH 436mm



Log Roll
L 3350 W 250 H 2700mm
FFH 462mm




Vertical Spider Net
L 3000 W 300 H 2550mm
FFH 2550mm




Log Roll with Drop Ropes
L 3350 W 225 H 2500mm
FFH 462mm




Rope Weave
L 3350 W 300 H 2700mm
FFH 520mm



Monkey Bars
L 2862 W 1110 H 1850mm
FFH 1850mm



Monkey Bar Log
L 3450 W 720 H 2085mm
FFH 1975mm




Tarzan Ring Beam
L 3162 W 1110 H 2050mm
FFH 1750mm



Steel feet

Galvanised steel feet can be fitted on all Timber Trails for a small additional charge. Steel feet offer an alternative to in-ground timbers and can be used in both wet pour and extended for loose fill surfacing.





A-Frame High
L 2093 W 1974 H 2000mm
FFH 2000mm ▶

A-Frame Low
L 1974 W 1600 H 1500mm
FFH 1500mm

A Frame Mini ▲
L 1800 W 1465 H 1000mm
FFH 1000mm

Log Climber Low
L 1692 W 1849 H 1500mm
FFH 1500mm

A-Frame Low with Nets ▲
L 1516 W 2110 H 1500mm
FFH 1500mm

A-Frame High with Nets
L 2000 W 2110 H 2000mm
FFH 2000mm

Low Boulder Climber
L 1525 W 1595 H 1500mm
FFH 1500mm


Log Climber High ▲
L 2093 W 1849 H 2000mm
FFH 2000mm

High Boulder Climber ▲
L 2801 W 1974 H 2000mm
FFH 2000mm



Steel feet

Galvanised steel feet can be fitted on all Timber Trails for a small additional charge. Steel feet offer an alternative to in-ground timbers and can be used in both wet pour and extended for loose fill surfacing.



Climb Net
L 150 W 2060 H 1500mm
FFH 1500mm

Mini Twist Net
L 2632 W 1100 H 1500mm
FFH 1500mm

Climb Ladder
L 150 W 1350 H 1730mm
FFH 1730mm

Twist Net
L 3200 W 2295 H 1900mm
FFH 1900mm

Timber Gate Climber
L 1900 W 312 H 1900mm
FFH 1900mm


Wall Net Combo
L 6770 W 150 H 2380mm
FFH 1139mm (Double Sided)

Traverse Wall
L 2850 W 150 H 1800mm
FFH 500mm (Double Sided)


Traverse Weave Combo ▲
L 2764 W 802 H 2100mm
FFH 599mm (Double Sided)

Jigsaw Traverse Wall
L 2670 W 825 H 1850mm
FFH 599mm


Zig Zag Traverse Wall
L 3922 W 840 H 1800mm
FFH 599mm



Sleeper Climb Wall
L 4000 W 385 H 2340mm
FFH 2340mm (Double Sided)




6m Sleeper Traverse Wall
L 6000 W 190 H 1755mm
FFH 590mm




Embankment Ramp
L 2196 W 1350 H 1300mm
FFH 275mm

FFH is assuming the ramp is situated on a bank with no drops.


Recommended angle for embankment is 30 degrees.




Medium Embankment Net
L 4305 W 2475 H 599mm
FFH 599mm



Regular Embankment Net
L 3640 W 2235 H 599mm
FFH 599mm



Large Embankment Net
L 5050 W 2800 H 825mm
FFH 825mm



Steel feet

Galvanised steel feet can be fitted on all Timber Trails for a small additional charge. Steel feet offer an alternative to in-ground timbers and can be used in both wet pour and extended for loose fill surfacing.



Trail 1

L=21m W=1.6m Not including Safety Surface
Consists of: *Sloping Balance Walk, Balance Walk, Drop Rope Traverse, 200mm Stepping Logs, Sloping Balance Weave, Balance Challenge.*



Trail 2

L=21m W=0.64m Not including Safety Surface
Consists of: *Sloping Balance Walk, Cross Rope, 200mm Stepping Logs, Log Rope, Log Snake, Rope Walk, Walk and Stretch, Sloping Balance Walk.*



Trail 3

L=20m W=1.3m Not including Safety Surface
Consists of: *Sloping Balance Walk, Suspension Bridge, Log Snake, Log Roll, 200mm Stepping Logs, Burma Bridge, Sloping Balance Walk, Log Snake Weaver.*



Trail 4

L=25.5m W=1.1m Not including Safety Surface
Consists of: *Tightrope Crossing, Rope Tunnel, 200mm Stepping Logs, Balance Walk, Traverse Weave Combo, Climb Ladder, Tarzan Ring Beam.*




All trails can be arranged differently to suit your needs.

Trail 5

L=17.5m W=1.2m Not including Safety Surface


Consists of: 200mm Stepping Logs, Crawl Net, Slalom Rope Walk, Rope Weave, 1.6m Wobble Board, Balance Slalom.



Trail 6

L=24m W=1.6m Not including Safety Surface


Consists of: Balance Challenge, Log Rope, 200mm Stepping Logs, Double Sloping Balance Weave, Drop Rope Traverse, Balance Slalom.



Trail 7

L=22.9m W=1.2m Not including Safety Surface

Consists of: Tightrape Crossing, Wobble Bridge, 200mm Stepping Logs, Log Roll with Drop Ropes, Rope Bridge, Sloping Balance Weave.



Trail 8

L=13.75m W=0.6m Not including Safety Surface

Consists of: Balance Walk, Rope Walk, Log Rope, Cross Rope Balance Walk.

Trail 9

L=9m W=0.8m Not including Safety Surface


Consists of: Slalom Rope Walk, Log Snake, Jigsaw Traverse Wall.



Trail 10

L=10.5m W=1.2m Not including Safety Surface

Consists of: Sloping Balance Weave, Log Snake Weaver, Balance Slalom, Free Standing Tunnel.



Linked Trail 1

L=9.56m W=0.58m Not including Safety Surface

Consists of: Sloping Balance Beam (x2), Drop Rope Traverse, Stepping Posts (x2), Rope Weaver Net, Log Rope.

Linked Trail 2

L=15.8m W=0.58m Not including Safety Surface

Consists of: Balance Beam with Rope (x2), Tarzan Traverse, Rope Weaver Net, Log Roll, Stepping Posts (x2), Rope Walk, Rope Weave.



Steel feet

Galvanised steel feet can be fitted on all Timber Trails for a small additional charge. Steel feet offer an alternative to in-ground timbers and can be used in both wet pour and extended for loose fill surfacing.




All trails can be arranged differently to suit your needs!

Linked Trail 3

L= 14.4m W=0.8m Not including Safety Surface


Consists of: *Sloping Balance Weave, Rope Weave, Walk and Stretch Posts, Log Rope, Jigsaw Traverse Wall, Balance Beam, Stepping Posts (x2).*



Linked Trail 4

L= 14.3m W= 1.32m Not including Safety Surface

Consists of: *Rope Crossing, Balance Beam, Log Roll, Rope Weaver Net, Drop Rope Traverse, Balance Beam, Wobble Bridge.*



Linked Trail 5

L= 17m W= 1.2m Not including Safety Surface

Consists of: *Balance Beam (x2), Drop Rope Traverse, Mini Twist Net, Wobble Bridge, Tightrope Crossing, Rope Weave, Stepping Posts (x1).*



Steel feet


Galvanised steel feet can be fitted on all Timber Trails for a small additional charge. Steel feet offer an alternative to in-ground timbers and can be used in both wet pour and extended for loose fill surfacing.



Linked Trail 6

L= 14m W=4.2m Not including Safety Surface


Consists of: *Double Balance Beam, Rope Crossing, Balance Beam, Log Rope, Rope Weaver Net, Log Roll, Jigsaw Traverse Wall, Tarzan Traverse, Cross Rope, Traverse Net, Balance Slalom, Stepping Posts (x4).*



Linked Trail 7

L= 17.2m W=6.35m Not including Safety Surface


Consists of: *Sloping Balance Weave, Slalom Rope Walk, Log Rope, Mini Twist Net, Rope Crossing, 3 Bar Balance, Wobble Bridge, Balance Beam, Log Roll, Rope Weaver Net, Tarzan Traverse, Tightrope Crossing, Stepping Posts (x4).*



Linked Trail 8

L= 15.5m W=4.94m Not including Safety Surface

Consists of: *3 Bar Balance, Rope Weave, Balance Beam, Log Rope, Rope Walk, Log Roll, Double Sloping Balance Weave, Drop Rope Traverse, Cross Rope, Traverse Net, Stepping Posts (x7), Jigsaw Traverse Wall, Tarzan Traverse.*




Bespoke Linked Trails can be designed on request.

Steel Trails

Dimensions do not include surfacing
FFH - Free Fall Height

Steel Sloping Balance Beam
L 2400 W 100 H 410mm
FFH 410mm



Steel Balance Beam
L 2400 W 100 H 410mm
FFH 410mm



Steel 3 Bar Balance Beam
L 7200 W 100 H 415mm
FFH 415mm




Steel Sloping Balance Weave
L 2800 W 300 H 1800mm
FFH 475mm




Steel Zig Zag Balance Beam
L 2000 W 605 H 420mm
FFH 420mm




Steel Stilts
L 3600 W 540 H 1800mm
FFH 590mm



Steel Leap Frog
L 8484 W 100 H 1000mm
FFH 1000mm



Steel Free Standing Tunnel
L 1300 W 760 H 975mm
FFH 140mm



Steel Spider Web Net
L 2285 W 2285 H 1500mm
FFH 580mm



Steel Slalom Rope Walk
L 3066 W 1587 H 1800mm
FFH 480mm




Different paint options available upon request


Steel Trails

Dimensions do not include surfacing
FFH - Free Fall Height

Steel Mini Twist Net
L 2550 W 1100 H 1500mm
FFH 1500mm




Steel Rope Bridge
L 2600 W 1100 H 1410mm
FFH 1410mm




Steel Burma Bridge
L 2900 W 850 H 1460mm
FFH 520mm


Steel Crawl Net Bridge
L 2056 W 1100 H 1410mm
FFH 510mm




Steel Suspension Bridge
L 2150 W 1100 H 1400mm
FFH 510mm



Steel Wobble Bridge
L 2650 W 1100 H 1410mm
FFH 510mm



Steel Jigsaw Traverse Wall
L 2704 W 100 H 1925mm
FFH 599mm



Steel Traverse Weave Combo
L 2429 W 980 H 2100mm
FFH 575mm




Different paint options available upon request

Steel Trails

Dimensions do not include surfacing
FFH - Free Fall Height


Steel Roll Over Bars
L 2100 W 100 H 1150mm
FFH 1107mm



Steel 1.5m Steel Chin Ups
L 3100 W 100 H 1500mm
FFH 1457mm

Steel Rope Walk ▲
L 3200 W 300 H 1800mm
FFH 485mm


Steel Cross Rope
L 3200 W 300 H 1800mm
FFH 1000mm



Steel Gate Climber ▲
L 1337 W 100 H 1500mm
FFH 1500mm

Steel Drop Rope Traverse
L 2850 W 300 H 2500mm
FFH 425mm

Steel Rope Weave
L 3200 W 300 H 2500mm
FFH 410mm



Steel Log Rope ▲
L 2850 W 450 H 2500mm
FFH 461mm



Steel Tarzan Traverse ▲
L 2850 W 300 H 2500mm
FFH 425mm

Different paint options available upon request

Steel Trails

Dimensions do not include surfacing
FFH - Free Fall Height

Steel Tarzan Ring Beam
L 2540 W 1065 H 2143mm
FFH 1750mm



Steel Monkey bars ▲
L 2550 W 1060 H 2000mm
FFH 1886mm

Steel Trail 1

L=12.1m W=1.6m Not including Safety Surface
CONSISTS OF: *Sloped Balance Beam, Drop Rope Traverse, Slalom Rope Walk, Sloping Balance Weave.*



Steel Trail 2

L=14.2m W=0.45m Not including Safety Surface
CONSISTS OF: *Sloped Balance Beam, Rope Walk, Log Rope, Cross Rope, Sloped Balance Beam.*



Different paint options available upon request

Play Frames



Spire

L: 2900 W: 3223 H: 2600mm



FFH: 530mm

Min Surface Area: 34m²

Min Space: 6.23m x 5.9m

Consists of:

- Log Rope
- Rope Walk
- Balance Beam
- Stepping Logs



Elevate

L: 4125 W: 2900 H: 2600mm


FFH: 550mm

Min Surface Area: 39.3m²

Min Space: 7.12m x 5.9m

Consists of:

- Log Rope
- Wobble Bridge
- Rope Walk
- Balance Beam



Crest

L: 2950 W: 2875 H: 2522mm

FFH: 1360mm

Min Surface Area: 32.9m²

Min Space: 5.95m x 5.9m

Consists of:

- Traverse Net
- Zig Zag Steel Bars
- Log Climber
- Chin Up Bar
- Rope Chain Traverse

Ascent

L: 3512 W: 3062 H: 2600mm


FFH: 1490mm

Safety Surface Area: 37.56m²

Min Space: 6.5 x 6.1m

Consists of:

- Rope Walk
- Log Roll with Drop Ropes
- Cross Rope
- Timber Log Climber



Peak

L: 3631 W: 3162 H: 2650mm



FFH: 1290mm

Safety Surface Area: 38.5m²

Min Space: 6.16 x 6.63m

Consists of:

- Log Rope
- Timber Log Climber
- Rope Walk
- Traverse Net
- Drop Rope Traverse



Apex

L: 3675 W: 3206 H: 2600mm

FFH: 599mm

Safety Surface Area: 39.16m²


Min Space: 6.67 x 6.20m

Consists of:

- Jigsaw Traverse Panels
- Balance Beam
- Rope Walk
- Log Rope
- Tarzan Traverse

Altitude

L: 5862 W: 2216 H: 2485mm
 FFH: 1747mm
 Safety Surface Area: 42.73m²
 Min Space: 8.96 x 5.31m
 Consists of:
 Tarzan Ring Beam
 Jigsaw Traverse Panels
 Traverse Net
 Rope Walk
 Chin Up Bar




Vertex

L: 5125 W: 3566 H: 2690mm
 FFH: 1370mm
 Safety Surface Area: 49.87m²
 Min Space: 8.13 x 6.56m
 Consists of:
 Jigsaw Traverse Panels
 Traverse Net
 Timber Log Climber
 Balance Beam x2
 Tarzan Traverse
 Cross Rope
 Log Roll with Drop Ropes
 Rope Walk

Zenith

L: 6312 W: 3281 H: 2600mm
 FFH: 1345mm
 Total Safety Surface Area: 55.8m²
 Min Space: 9.31 x 6.28m
 Safety Surface Area Split
 FFH < 600mm = 10.75m²
 FFH 600 > 1500 = 45m


Consists of:
 Traverse Net
 Tarzan Traverse
 Log Rope
 Cross Rope
 Log Roll with Drop Ropes
 Rope Walk
 Balance Beam
 Timber Log Climber



All Play Frames are supplied with steel feet as standard

Summit

L: 6356 W: 6025 H: 2600mm
 FFH: 1777mm



Safety Surface Area: 81.77m²
 Min Space: 8.94 x 9.39m
 Safety Surface Area Splits (mm)
 FFH 1500 > 1777mm = 20.82m²
 FFH 1500 > 2190mm = 60.95m²

Consists of:
 Jigsaw Traverse Panels
 Rope Weave
 Traverse Net
 Log Rope
 Rope Walk
 Timber Log Climber
 Tarzan Traverse
 Cross Rope
 Balance Beam
 Log Roll
 Tarzan Ring Beam

Pinnacle

L: 9475 W: 5925 H: 2600mm
 FFH: 2190mm
 Safety Surface Area: 107.58m²
 Min Space: 12.4 x 8.92m




Safety Surface Area Split (mm)
 FFH < 600mm = 25.25m²
 FFH 600 > 1500mm = 58.34m²
 FFH 1500 > 2190mm = 23.99m²

Consists of:
 Jigsaw Traverse Panels
 Rope Weave
 Traverse Net
 Log Rope
 Rope Walk
 Timber Log Climber
 Tarzan Traverse
 Spider Web Net
 Drop Rope Traverse
 Cross Rope
 Balance Beam
 Log Roll

All Play Frames are supplied with steel feet as standard


Tri Play Challenge 1

Product Size - L: 1842 W: 1599 H: 2445mm
 Safety Surface Area: 17.94m²
 Minimum Space Required: 5.3 x 4.6m




Option 1

FFH: 595mm
 Consists Of:
 Beam Traverse
 Steel Slalom
 Rope Traverse



Option 2

FFH: 1163mm
 Consists Of:
 Rope Traverse
 Weave Traverse
 Net Traverse



Option 3

FFH: 594mm
 Consists Of:
 Beam Traverse
 Weave Traverse
 Drop Rope Traverse




Option 4

FFH: 690mm
 Consists Of:
 Drop Rope Traverse
 Steel Slalom
 Jigsaw Traverse Wall

All Tri Play Challenges are supplied with steel feet as standard


Tri Play Challenge 2

Product Size - L: 3279 W: 1842 H: 2520mm
 Safety Surface Area: 23.8m²
 Minimum Space Required: 6.28 x 4.84m




Option 2

FFH: 759mm
 Consists Of:
 Drop Rope Traverse
 Steel Slalom
 Jigsaw Traverse Wall
 Log Roll With Drop Ropes




Option 1

FFH: 1203mm
 Consists Of:
 Beam Traverse
 Net Traverse
 Weave Traverse
 Drop Rope Traverse



Option 3

FFH: 1163mm
 Consists Of:
 Jigsaw Traverse Wall
 Weave Traverse
 Net Traverse
 Rope Traverse



Option 4

FFH: 718mm
 Consists Of:
 Beam Traverse
 Rope Traverse
 Steel Slalom
 Drop Rope Traverse


All Tri Play Challenges are supplied with steel feet as standard

Tri Play Challenge 3

Product Size - L: 4139 W: 2275 H: 2445mm

Safety Surface Area: 30.2m²

Minimum Space Required: 7.14 x 5.28m



Option 1

FFH: 1163mm

Consists Of:

Beam Traverse
Jigsaw Traverse Wall
Rope Traverse (x2),
Net Traverse
Weave Traverse
Steel Slalom.




Option 2

FFH: 760mm

Consists Of:

Beam Traverse
Weave Traverse
Log Roll With Drop Ropes
Jigsaw Traverse Wall
Steel Slalom
Rope Traverse
Drop Rope Traverse



Option 3

FFH: 1203mm

Consists Of:

Beam Traverse
Jigsaw Traverse Wall
Rope Traverse
Net Traverse
Weave Traverse
Steel Slalom
Drop Rope Traverse




All Tri Play Challenges are supplied with steel feet as standard

Tri Play Challenge 4

Product Size - L: 5573 W: 2446 H: 2470mm

Safety Surface Area: 36.7m²

Minimum Space Required: 8.57 x 5.45m



Option 1

FFH: 1178mm

Consists Of:

Net Traverse
Beam Traverse
Weave Traverse
Log Roll With Drop Ropes
Jigsaw Traverse Wall
Steel Slalom
Drop Rope Traverse
Rope Traverse



Option 2

FFH: 1163mm

Consists Of:

Drop Rope Traverse
Beam Traverse
Net Traverse
Steel Slalom
Rope Traverse (X2)
Jigsaw Traverse Wall
Weave Traverse



Option 3

FFH: 1203mm

Consists Of:

Log Roll With Drop Ropes
Rope Traverse
Jigsaw Traverse Wall
Net Traverse
Drop Rope Traverse
Weave Traverse
Beam Traverse
Steel Slalom



All Tri Play Challenges are supplied with steel feet as standard

Steel Elevate

L: 3968 W: 2922 H: 2500mm
FFH: 575mm

Safety Surface Area: 38.56m²
Min Space: 6.96 x 5.92m

Consists of:
Wobble Bridge
Balance Beam
Rope Walk
Log Rope





Rowton

L: 4700 W: 1660 H: 2110mm
FFH: 2110mm

Safety Surface Area: 43.8m²
Min Space: 5.58 x 8.62m

Consists of:
Climb Net
Rope Walk
Climb Ladder
Chin Up Bars
Monkey Bar Frame





Different paint colour options available on request

Farndon

L: 3220 W: 3100 H: 2329mm
FFH: 2050mm

Safety Surface Area: 47.49m²
Min Space: 7.14 x 7.02m

Consists of:
Climb Wall
Climb Net
Climb Ladder
Vertical Climb Rings
Roll Over Bars/Chin Up Bars
Staggered Ladder
Tarzan Rings Beam
Cross Rope
Rope Walk





Octagonal Farndon

L: 3864 W: 3864 H: 2350mm
FFH: 2031mm

Safety Surface Area: 50.16m²
Min Space: 7.8 x 7.8m

Consists of:
Tarzan Ring Beam
Climb Wall
Ring Climber
Climb Net
Vertical Climb Rings
Chin Up Bars




Different paint colour options available on request

play in
motion




2.0m - 1 Cradle Seat

L: 2610 W: 1424 H: 2138mm
 Min Surface Area: 6.05 x 1.75m (10.6m²)
 Min Space: 6.05 x 2.61m FFH: 1.2m



2.4m - 1 Flat Seat

L: 2610 W: 1730 H: 2538mm
 Min Surface Area: 6.7 x 1.75m (11.7m²)
 Min Space: 6.7 x 2.61m FFH: 1.4m




2.0m - 2 Cradle Seats

L: 3600 W: 1424 H: 2138mm
 Min Surface Area: 6.05 x 2.88m (17.4m²)
 Min Space: 6.05 x 3.60m FFH: 1.2m



2.4m - 2 Flat Seats

L: 3600 W: 1730 H: 2538mm
 Min Surface Area: 6.7 x 2.88m (19.3m²)
 Min Space: 6.7 x 3.60m FFH: 1.4m



2.0m - 4 Cradle Seats

L: 7200 W: 1424 H: 2138mm
 Min Surface Area: 6.05 x 5.76m (34.8m²)
 Min Space: 7.2 x 6.05m FFH: 1.2m




2.4m - 4 Flat Seats

L: 7200 W: 1730 H: 2538mm
 Min Surface Area: 6.7 x 5.76m (38.59m²)
 Min Space: 7.2 x 6.7m FFH: 1.4m


2.4m - 2 Flat & 1 Cradle Seats

L: 6210 W: 1730 H: 2538mm
 Min Surface Area: 6.7 x 4.63m (31.02m²)
 Min Space: 6.7 x 6.2m FFH: 1.4m



2.4m - 1 Flat & 1 Cradle Seat

L: 4800 W: 1730 H: 2538mm
 Min Surface Area: 6.7 x 3.5m (23.45m²)
 Min Space: 6.7 x 4.8m FFH: 1.4m



2.4m - 2 Flat & 2 Cradle Seats

L: 7200 W: 1730 H: 2538mm
 Min Surface Area: 6.7 x 5.76m (38.59m²)
 Min Space: 7.2 x 6.7m FFH: 1.4m

2.4m - 1 Inclusive Seat

L: 2742 W: 1730 H: 2538mm
 Min Surface Area: 7 x 1.8m (12.6m²)
 Min Space: 7 x 2.61m FFH: 1.4m



2.4m - 1 Inclusive & 1 Cradle Seat

L: 3600 W: 1730 H: 2538mm
 Min Surface Area: 7 x 2.93m (20.51m²)
 Min Space: 7 x 3.60m FFH: 1.4m



Steel feet

Galvanised steel feet can be fitted on all timber swings for a small additional charge. Steel feet offer an alternative to in-ground timbers and can be used in both wet pour and extended for loose fill surfacing.



2.4m - 1 Inclusive & 1 Flat Seat

L: 3600 W: 1730 H: 2538mm
 Min Surface Area: 7 x 2.93m (20.51m²)
 Min Space: 7 x 3.60m FFH: 1.4m

2.4m Timber Group Swing

L: 3600 W: 1730 H: 2538mm
 Min Surface Area: 7 x 3m (21m²)
 Min Space: 7 x 3.60m FFH: 1.4m



2.4m - 1 Flat & 1 Group Seat

L: 6210 W: 1730 H: 2538mm
 Min Surface Area: 7 x 5m (35m²)
 Min Space: 6.22 x 7m FFH: 1.4m



2.4m - 2 Flat & 1 Group Seat

L: 7200 W: 1730 H: 2538mm
 Min Surface Area: 7 x 6m (42m²)
 Min Space: 7.2 x 7m FFH: 1.4m



Timber Swing Frames available without seats and chains.

Frames come with all fixings and swing seat hangers. Universal joints and safety chains are not included with the group seat frames.

Steel Feet options Available, more details and prices are available upon request


Six Seat Hexagonal Swing

L: 7040 W: 6139 H: 2620mm
 Min Surface Area: 12.6 x 11.8m (58.3m²)
 Min Space: 13.12 x 12.24m FFH: 1.4m



2.35m Crocodile Swing

L: 3000 W: 2800 H: 2820mm
 Min Surface Area: 8.53 x 3.2m (25.2m²)
 Min Space: 8.53 x 3.15m FFH: 1.5m
 Includes steel feet as standard



3.35m Crocodile Swing also available

4.85m Crocodile Swing

L: 6977 W: 3420 H: 2805mm
 Min Surface Area: 11.3 x 3.15m (33.91m²)
 Min Space: 11.31 x 3.42m FFH: 1.5m
 Includes steel feet as standard



Steel feet

Galvanised steel feet can be fitted on all timber swings for a small additional charge. Steel feet offer an alternative to in-ground timbers and can be used in both wet pour and extended for loose fill surfacing.

Bespoke units available on request


2.0m - 1 Cradle Seat

L: 2660 W: 1150 H: 2110mm
 Min Surface Area: 6.05 x 1.75m (10.6m²)
 Min Space: 6.05 x 2.66m FFH: 1.2m



2.4m - 1 Flat Seat

L: 2820 W: 1300 H: 2510mm
 Min Surface Area: 6.7 x 1.75m (11.72m²)
 Min Space: 6.7 x 2.82m FFH: 1.4m




2.0m - 2 Cradle Seats

L: 3780 W: 1150 H: 2110mm
 Min Surface Area: 6.05 x 2.88m (17.4m²)
 Min Space: 6.05 x 3.92m FFH: 1.2m




2.4m - 2 Flat Seats

L: 3990 W: 1300 H: 2510mm
 Min Surface Area: 6.7 x 2.88m (19.3m²)
 Min Space: 6.7 x 3.99m FFH: 1.4m



2.0m - 4 Cradle Seats

L: 6980 W: 1150 H: 2110mm
 Min Surface Area: 6.05 x 5.76m (34.8m²)
 Min Space: 6.98 x 6.05m FFH: 1.2m



2.4m - 4 Flat Seats

L: 7110 W: 1300 H: 2510mm
 Min Surface Area: 6.7 x 5.76m (38.59m²)
 Min Space: 7.11 x 6.7m FFH: 1.4m

Other steel colours are available upon request

2.4m - 1 Flat & 1 Cradle Seat

L: 4880 W: 1300 H: 2510mm
 Min Surface Area: 6.7 x 3.5m (23.45m²)
 Min Space: 6.7 x 4.87m FFH: 1.4m



2.4m - 2 Flat & 1 Cradle Seats

L: 5980 W: 1300 H: 2510mm
 Min Surface Area: 6.7 x 4.63m (31.02m²)
 Min Space: 6.7 x 5.98m FFH: 1.4m



2.4m - 2 Flat & 2 Cradle Seats

L: 7110 W: 1300 H: 2510mm
 Min Surface Area: 6.7 x 5.76m (38.59m²)
 Min Space: 7.11 x 6.7m FFH: 1.4m



Steel Swing Frames available without seats and chains.

Frames come with all fixings and swing seat hangers. Universal joints and safety chains are not included with the group seat frames.

Bespoke units available on request



2.4m - 2 Flat & 1 Group Seat
 L: 7110 W: 1300 H: 2510mm
 Min Surface Area: 7 x 5.88m (41.16m²)
 Min Space: 7.2 x 7m FFH: 1.4m



2.4m Steel Group Swing
 L: 3990 W: 1300 H: 2551mm
 Min Surface Area: 7 x 3m (21m²)
 Min Space: 7 x 3.99m FFH: 1.4m



2.4m - 1 Inclusive Seat
 L: 2820 W: 1300 H: 2510mm
 Min Surface Area: 7 x 1.8m (12.6m²)
 Min Space: 7 x 2.82m FFH: 1.4m




2.4m - 1 Inclusive & 1 Cradle Seat
 L: 3930 W: 1300 H: 2510mm
 Min Surface Area: 7 x 2.88m (20.16m²)
 Min Space: 7 x 3.99m FFH: 1.4m



2.4m - 1 Inclusive & 1 Flat Seat
 L: 3930 W: 1300 H: 2510mm
 Min Surface Area: 7 x 2.88m (20.16m²)
 Min Space: 7 x 3.99m FFH: 1.4m

Other steel colours are available upon request



Timber Seesaw
 L: 2900 W: 280 H: 1100mm
 Min Surface Area: 5.93 x 3.18m (16.6m²)
 FFH: 1.1m

Steel Seesaw
 L: 2900 W: 280 H: 1100mm
 Min Surface Area: 5.93 x 3.18m (16.6m²)
 FFH: 1.1m

Embankment Slides



Embankment Slides
 Platform Dimensions
 L: 864 W: 614 H: 985mm

Slide Heights
 1m, 1.25m, 1.5m & 2m

Different HDPE colours available on request.

Bespoke units available on request



One Way Timber - 30m
 L: 30000 W: 2100 H: 4100mm
 Min Surface Area: 34 x 4m (132m²)
 FFH: 1.25m



One Way Timber - 25m
 L: 25000 W: 2100 H: 4100mm
 Min Surface Area: 29 x 4m (112m²)
 FFH: 1.25m

One Way Timber - 20m
 L: 20000 W: 2100 H: 4100mm
 Min Surface Area: 24 x 4m (92m²)
 FFH: 1.25m

One Way Steel - 25m
 L: 25000 W: 2100 H: 3550mm
 Min Surface Area: 29 x 4m (112m²)
 FFH: 1.25m

One Way Steel - 30m
 L: 30000 W: 2100 H: 3550mm
 Min Surface Area: 34 x 4m (132m²)
 FFH: 1.25m

One Way Steel - 20m
 L: 20000 W: 2100 H: 3550mm
 Min Surface Area: 24 x 4m (92m²)
 FFH: 1.25m



Two Way Timber - 20m
 L: 20000 W: 2100 H: 4100mm
 Min Surface Area: 24 x 4m (92m²)
 FFH: 1.25m

Two Way Timber - 25m
 L: 25000 W: 2100 H: 4100mm
 Min Surface Area: 29 x 4m (112m²)
 FFH: 1.25m

Two Way Steel - 20m
 L: 20000 W: 2100 H: 3550mm
 Min Surface Area: 24 x 4m (92m²)
 FFH: 1.25m

Two Way Steel - 25m
 L: 25000 W: 2100 H: 3550mm
 Min Surface Area: 29 x 4m (112m²)
 FFH: 1.25m


early years

Sand Play




Log Train

Product Dimensions - Engine
2000mm (L) 1170mm (W) 1420mm (H)
Product Dimensions - Carriages
1000mm (L) 1000mm (W) 600mm (H)




Play Train

Product Dimensions - Engine
890mm (L) 300mm (W) 335mm (H)
Product Dimensions - Carriages
650mm (L) 300mm (W) 220mm (H)




Tug Boat

Product Dimensions
4984mm (L) 2120mm (W) 1530mm (H)
(Includes 2 Way Talk Tubes)



Captain's Boat


Product Dimensions
4990mm (L) 3238mm (W) 2000mm (H)



Bespoke options available, enquire for more information.

Sand Workshop Table

Product Dimensions
1500mm (L) 786mm (W) 675mm (H)
Sand Required: 0.07m³
(not Included)



Sand Play Table

Product Dimensions
1020mm (L) 885mm (W) 650mm (H)
Sand Required: 0.089m³ (not Included)



Sleeper Sandpit

Product Dimensions
3000mm (L) 1500mm (W) 1850mm (H)
Sand Required: 1.12m³
(not Included)




Playground Scales

Product Dimensions
780mm (L) 265mm (W) 1500mm (H)



Standard Sandpit


Product Dimensions
Open: 4260mm (L) 1220mm (W) 213mm (H)
Closed: 2400mm (L) 1220mm (W) 213mm (H)
Sand Required: 0.24m³ (not Included)



Steel feet options available upon request.

Outdoor Theatre

Product Dimensions
2520mm (L) 2100mm (W) 1820mm (H)
Bespoke engraving available on request




Friendship Bench

Product Dimensions
2200mm (L) 195mm (W) 1879mm (H)
Bespoke HDPE engraving available on request



1.95m Stage


Product Dimensions
1950mm (L) 1950mm (W) 146mm (H)
3.9m Stage also available



Enchantment Area

Once Upon a Time Chair x 1
Fairy Tale Button Stools x 15
1.8m Curved Sleeper Benches x 3

More Story Area designs can be found in the Story Time product range.



Wigwam

Product Dimensions
1950mm (L) 1950mm (W) 1308mm (H)
Bespoke HDPE engraving and colours available




Timber Tipi

Product Dimensions
2856mm (L) 2752mm (W) 1950mm (H)

Sleeper Tunnel with Steps

Product Dimensions
2400mm (L) 1390mm (W) 1700mm (H)
Minimum Surface Area: 20.34m²
5164mm (L) 4238mm (W)
Free Fall Height: 859mm



Wavy Bridge

Product Dimensions
2282mm (L) 1457mm (W) 1200mm (H)

More Timber Bridge designs can be found in the Stand Alone product range.

Animal Posts

Product Dimensions
280-462mm (L) 114mm (W) 1000mm (H)

35 Different UK animal designs available in a variety of different HDPE colours. More Animal Post designs can be found in the Stand Alone product range.



HDPE Play Panels

Product Dimensions
1050mm (L) 125mm (W) 1190mm (H)

HDPE Play Panels available with timber legs or as panels only. Available in a variety of colours.



Talk Tubes

Product Dimensions
1100mm (H)

Available in 2 and 3 way configurations, connected via 6m of plastic tubing 200mm below ground.



Seasonal Totem Poles

Product Dimensions
195mm (L) 95mm (W) 1500mm (H)

The seasonal totem poles contain playful references to each season of the year.

- Spring
- Summer
- Autumn
- Winter



Nursery Rhyme Totem Poles

Product Dimensions
195mm (L) 95mm (W) 1500mm (H)

Each totem pole contains a nursery rhyme with icons.

- Hey Diddle Diddle
- Humpty Dumpty
- Incy Wincy Spider
- Twinkle Twinkle

Play Time Totem Poles

Product Dimensions
195mm (L) 95mm (W) 1500mm (H)

Each totem pole brings a new dimension of educational play to a playground.

- Height and Hands
- Finger Maze Madness
- Minibeast Manor
- Treasure Map



All totem poles are sold individually but can be purchased as a group.

Mountain Range Play Scene

Product Dimensions (Suggested Layout)
3900mm (L) 760mm (W) 1490mm (H)


Includes 6 Individual Sections with HDPE Panels



Galleon Play Scene

Product Dimensions (Suggested Layout)
3977mm (L) 1000mm (W) 2100mm (H)

Includes 5 Individual Sections with HDPE Panels



Castle Play Scene


Product Dimensions (Suggested Layout)
3310mm (L) 1085mm (W) 2000mm (H)

Includes 5 Individual Sections with HDPE Panels



Bespoke options available, enquire for more information.

Castle Slide Unit



Fire Engine Slide Unit



Dump Truck Slide Unit



Elephant Slide Unit



Submarine Slide Unit



Rocket Slide Unit



Whale Slide Unit



Themed Slide Units

Product Dimensions
3830 - 4040mm (L)
1060 - 1170mm (W)
1730 - 2460mm (H)
Minimum Surface Area: 24.5m²
7160mm (L) 3990mm (W)
Free Fall Height: 900mm



Boat Slide Unit

Steel feet options available upon request.

House of Fun

Product Dimensions
2904mm (L) 1190mm (W) 2110mm (H)

- Features
- HDPE Shop Panel with Counter
 - 2 x Noughts & Crosses Panels
 - Splash Panel
 - Timber Bench
 - Timber Roof



Cygnets

Product Dimensions
3312mm (L) 2595mm (W) 1185mm (H)
Minimum Surface Area: 29.27m²
6360mm (L) 5593mm (W)
Free Fall Height: 579mm



Cygnets with Plastic Slide

Product Dimensions
3617mm (L) 2810mm (W) 1470mm (H)
Minimum Surface Area: 31.66m²
7010mm (L) 5810mm (W)
Free Fall Height: 585mm

Single Deck Unit 01

Product Dimensions
3411mm (L) 1018mm (W) 1845mm (H)
Minimum Surface Area: 23.52m²
6878mm (L) 4018mm (W)
Free Fall Height: 900mm




See our Timber Towers brochure for more designs.

Clamber Stack Piccolo with Ropes

Product Dimensions
2030mm (L) 1810mm (W) 1675mm (H)
Minimum Surface Area: 19.24m²
5116mm (L) 4853mm (W)
Free Fall Height: 599mm

See our Clamber Stacks brochure for more designs.



Clamber Stack Sorella with Ropes

Product Dimensions
3620mm (L) 3200mm (W) 1750mm (H)
Minimum Surface Area: 28.67m²
6619mm (L) 6203mm (W)
Free Fall Height: 599mm

story
time...



Once
Upon
A
Time

Happily Ever After

Story Time Seating



Once Upon A Time Chair
H 1336mm
W 775mm
D 772mm
Engraved as Standard



Story Telling Chair
H 1400mm
W 780mm
D 485mm




1.3m Curved Sleeper Bench
L 1294 W 385 H 420mm



1.8m Curved Sleeper Bench
L 1793 W 388 H 420mm



3.6m Sleeper Bench
L 3600 W 195 H 420mm




2.4m Sleeper Bench
L 2400 W 195 H 420mm




1.4m Sleeper Bench
L 1400 W 195 H 420mm

Story Time Seating



1.3m Engraved Curved Bench Group
L 3132 W 1153 H 420mm



1.3m Engraved Curved Benches
L 1294 W 385 H 420mm

1.8m Engraved Curved Bench Group
L 4337 W 1508 H 420mm

1.8m Engraved Curved Benches
L 1793 W 388 H 420mm




Toadstool
L 300 W 300 H 400mm

Additional Toadstool colours available.

Bespoke options Available

Button Stools


L: 195mm
W: 195mm
H: 400mm



Bespoke options Available

Button Stools


L: 195mm
W: 195mm
H: 400mm




Bespoke options Available

Story Time Seating

2m Hexagonal Tree Seat
L 2056 W 1780 H 470mm



2m Half Hexagonal Bench
L 1983 W 890 H 470mm



3m Open Octagonal Bench
L 3000 W 2663 H 450mm



3m Half Octagonal Bench
L 3000 W 1700 H 450mm

3m Octagonal Tree Seat
L 3000 W 3000 H 450mm



Bespoke options Available

Story Time Areas

Fable Area
Once Upon a Time Chair x 1
1.3m Curved Sleeper Bench x 5



Fairy Tale Area
Once Upon a Time Chair x 1
Fairy Tale Button Stools x 15



Tall Tale Area
Once Upon a Time Chair x 1
1.4m Sleeper Benches x 3



Gather Round Area
Once Upon a Time Chair x 1
3m Open Octagonal Bench x 1



Enchantment Area
Once Upon a Time Chair x 1
Fairy Tale Button Stools x 15
1.8m Curved Sleeper Benches x 3



All areas also available with the **Story Telling Chair.**



Shelters



Hexagonal Shelters



Hex Shelter Only

Shiplap or Felt Shingle Roof
Engraved HDPE entrance sign.



All hexagonal shelters are available with either a shower proof roof constructed using shiplap panels or a weather resistant felt shingle roof.

Shelters come in 3m, 4m and 5m sizes with optional seats, infills, timber deck floor and access ramps.

Hex Shelter with Seats

Shiplap or Felt Shingle Roof.
Engraved HDPE entrance sign.
Seats constructed using 195 x 95mm timber sleepers.



Bespoke Engraved Fascia Panels

HDPE colours may vary, specific colour options may be available upon request.

Bespoke options available upon request

Hexagonal Shelters

All hexagonal shelters are available in 3m, 4m and 5m sizes with optional seats, infills, timber deck floor and access ramps.



Hex Shelter with Seats and Infills

Shiplap or Felt Shingle Roof.
Engraved HDPE entrance sign.
Seats constructed using 195 x 95mm timber sleepers.
Pre-assembled timber infill panels.



Hex Shelter with Seats, Infills and Floor

Shiplap or Felt Shingle Roof.
Engraved HDPE entrance sign.
Seats constructed using 195 x 95mm timber sleepers.
Pre-assembled timber infill panels.
Deck board flooring with optional access ramp.



Shelter Dimensions

- 3m: 3411 (L) x 2983 (W) x 2968mm (H)
- 4m: 4536 (L) x 3957 (W) x 3139mm (H)
- 5m: 5377 (L) x 4686 (W) x 3349mm (H)



Steel feet options available upon request

Extended Hexagonal Shelters



Extended Hex Shelter Only

Shiplap or Felt Shingle Roof.
Engraved HDPE entrance sign.



All extended hexagonal shelters are available with either a shower proof roof constructed using shiplap panels or a weather resistant felt shingle roof.

Shelters come in 3 x 6m or 4 x 8m sizes with optional seats, infills, timber deck floor and access ramps.

Extended Hex Shelter with Seats

Shiplap or Felt Shingle Roof.
Engraved HDPE entrance sign.
Seats constructed using 195 x 95mm timber sleepers.



3 x 6m Extended Hex Shelter Dimensions



Bespoke options available upon request

Extended Hexagonal Shelters

Extended Hex Shelter with Seats and Infills

Shiplap or Felt Shingle Roof.
Seats constructed using 195 x 95mm timber sleepers.
Engraved HDPE entrance sign.
Pre-assembled timber infill panels.



Extended hexagonal shelters are available in 3 x 6m and 4 x 8m sizes with seats, infills, timber deck floor and access ramp options.



Extended Hex Shelter with Seats, Infills and Floor

Shiplap or Felt Shingle Roof.
Engraved HDPE entrance sign.
Seats constructed using 195 x 95mm timber sleepers.
Pre-assembled timber infill panels.
Deck board flooring with optional access ramp.

4 x 8m Extended Hex Shelter Dimensions



Steel feet options available upon request

Square Shelters



Square Shelter Only

Shiplap or Felt Shingle Roof.
Engraved HDPE entrance sign.



Square shelters are available with either a shower proof roof constructed using shiplap panels or a weather resistant felt shingle roof.

Shelters are available in 3m and 4m sizes with seats, infills, timber deck floor and access ramp options.

Square Shelter with Seats

Shiplap or Felt Shingle Roof.
Engraved HDPE entrance sign.
Seats constructed using 195 x 95mm timber sleepers.



Shelter Dimensions

3m: 3207 (L) x 3207 (W) x 3210mm (H)
4m: 4322 (L) x 4322 (W) x 3252mm (H)

Bespoke Engraved Fascia Panels
HDPE colours may vary, specific colour options may be available upon request.



Bespoke options available upon request

Square Shelters

Square Shelter with Seats and Infills

Shiplap or Felt Shingle Roof.
Seats constructed using 195 x 95mm timber sleepers.
Pre-assembled timber infill panels.



Square shelters are available in 3m and 4m sizes with seats, infills, timber deck floor and access ramp options.



Square Shelter with Seats, Infills and Floor

Shiplap or Felt Shingle Roof.
Engraved HDPE entrance sign.
Seats constructed using 195 x 95mm timber sleepers.
Pre-assembled timber infill panels.
Deck board flooring with optional access ramp.



Shelter Dimensions

3m: 3207 (L) x 3207 (W) x 3210mm (H)
4m: 4322 (L) x 4322 (W) x 3252mm (H)



Steel feet options available upon request

2.4 x 4.4m Shelter

Shiplap or Felt Shingle Roof.
Available with various infill and seating configurations.
2440 (L) x 4420 (W) x 3000mm (H)



2.4 x 4.4m Shelter C

Infills on 4 sides with seating
Seats approx 22 children*



2.4 x 4.4m Shelter A

Infills on 3 sides and no seating



2.4 x 4.4m Shelter B

Infills on 3 sides with seating
Seats approx 18 children*



4.8 x 4.4m Shelter A

Infills on 3 sides with seating
Seats approx 29 children*

4.8 x 4.4m Shelter

Shiplap or Felt Shingle Roof.
Available with various infill and seating configurations.
4830 (L) x 4420 (W) x 3000mm (H)



4.8 x 4.4m Shelter B

Infills on 4 sides with seating
Seats approx 34 children*



7.2 x 4.4m Shelter B

Infills on 4 sides with seating
Seats approx 44 children*



Other lengths and configurations available upon request

Steel feet options available upon request

Bespoke options available upon request



7.2 x 4.4m Shelter

Shiplap or Felt Shingle Roof.
Available with various infill and seating configurations.
7210 (L) x 4420 (W) x 3000mm (H)

7.2 x 4.4m Shelter A

Infills on 3 sides with seating
Seats approx 34 children*



Shelters

9.6 x 4.4m Shelter

Shiplap or Felt Shingle Roof.
Available with various infill and seating configurations.
9590 (L) x 4420 (W) x 3000mm (H)



9.6 x 4.4m Shelter A

Infills on 3 sides with seating
Seats approx 40 children*

* approximate number of seats based on 400mm of space per child *



9.6 x 4.4m Shelter B

Infills on 4 sides with seating
Seats approx 52 children*



Seating Pod

Shower proof roof.
Timber roof constructed using Shiplap boards and HDPE support brackets.
2440 (L) x 2390 (W) x 2450mm (H)



Bespoke options available upon request

Shelters

Picnic Shelter

Seats and table constructed using 195 x 95mm sleepers.
Shower proof roof constructed using shiplap boards.
2375 (L) x 1800 (W) x 2220mm (H)



Seating Shelter

Seats constructed using 195 x 95mm sleepers.
Shower proof roof constructed using shiplap boards.
2375 (L) x 1800 (W) x 2220mm (H)

Toddler Shelter

Shower proof roof constructed using shiplap boards.
Seats constructed using 195 x 95mm sleepers.
1340 (L) x 1881 (W) x 2156mm (H)



Toddler Shelter with 3 Sides

Shower proof roof constructed using shiplap boards.
Seats constructed using 195 x 95mm sleepers.
1340 (L) x 1881 (W) x 2156mm (H)



Large Toddler Shelter

Shower proof roof constructed using shiplap boards.
Seats constructed using 195 x 95mm sleepers.
1940 (L) x 1881 (W) x 2156mm (H)

Steel feet options available upon request



Polycarbonate Roof Shelters

All shelters slope from high to low along the depth of the shelter. More sizes available on request.

4 x 3m Polycarbonate Shelter Only

Waterproof Polycarbonate roof construction.
95mm Square legs support timber frame.
Plastic guttering and down spout.

4 x 3m: 4079 (D) x 2976 (W) x 2580mm (H)



4 x 3m Polycarbonate Shelter with Timber Infills

Waterproof Polycarbonate roof construction.
95mm Square legs support timber frame.
Plastic guttering and down spout.
Pre-assembled timber infill panels.

4 x 3m: 4079 (D) x 2976 (W) x 2580mm (H)

4 x 3m Polycarbonate Shelter with Timber Infills and Seats

Waterproof Polycarbonate roof construction.
95mm Square legs support timber frame.
Plastic guttering and down spout.
Pre-assembled timber infill panels.

195mm Wide timber sleeper seats.

4 x 3m: 4079 (D) x 2976 (W) x 2580mm (H)



Bespoke options available upon request



Polycarbonate Roof Shelters

4 x 4m Polycarbonate Shelter Only

Waterproof Polycarbonate roof construction.
95mm Square legs support timber frame.
Plastic guttering and down spout.

4 x 4m: 4079 (D) x 3970 (W) x 2580mm (H)



4 x 4m Polycarbonate Shelter with Timber Infills

Waterproof Polycarbonate roof construction.
95mm Square legs support timber frame.
Plastic guttering and down spout.
Pre-assembled timber infill panels.

4 x 4m: 4079 (D) x 3970 (W) x 2580mm (H)

4 x 4m Polycarbonate Shelter with Timber Infills and Seats

Waterproof Polycarbonate roof construction.
95mm Square legs support timber frame.
Plastic guttering and down spout.
Pre-assembled timber infill panels.

195mm Wide timber sleeper seats.

4 x 4m: 4079 (D) x 3970 (W) x 2580mm (H)



4 x 4m Polycarbonate Shelter with Planters and Seats

Waterproof Polycarbonate roof construction.
95mm Square legs support timber frame.
Plastic guttering and down spout.
Sleeper planters on either side,
195mm Wide timber sleeper seats.

4 x 4m: 4118 (D) x 5282 (W) x 2580mm (H)

Sleeper planters can be added to any size shelter.

Steel feet options available upon request

Polycarbonate Roof Shelters

All shelters slope from high to low along the depth of the shelter.
More sizes available on request.

4 x 6m Polycarbonate Shelter Only

Waterproof Polycarbonate roof construction.
95mm Square legs support timber frame.
Plastic guttering and down spout.
4 x 6m: 4079 (D) x 5965 (W) x 2580mm (H)



4 x 6m Polycarbonate Shelter with Timber Infills

Waterproof Polycarbonate roof construction.
95mm Square legs support timber frame.
Plastic guttering and down spout.
Pre-assembled timber infill panels.
4 x 6m: 4079 (D) x 5965 (W) x 2580mm (H)



4 x 6m Polycarbonate Shelter with Timber Infills and Seats

Waterproof Polycarbonate roof construction.
95mm Square legs support timber frame.
Plastic guttering and down spout.
Pre-assembled timber infill panels.
195mm Wide timber sleeper seats.
4 x 6m: 4079 (D) x 5965 (W) x 2580mm (H)

Bespoke options available upon request

Teen Tower with Buddy Bars

Shower proof roof.
Timber roof constructed using Shiplap boards and Cedar shingles.
Seats constructed using 195 x 95mm sleepers.
Curved metal back rests.
2974 (L) x 3481 (W) x 3174mm (H)



Also available without buddy bars

2943 (L) x 2245 (W) x 3174mm (H)

Circular Pergola

Inner Poles: 7710mm
Outer Poles: 9790mm
Inside Diameter: 13000mm
Height: 2600mm



Straight Pergola

4000 (L) x 3000 (W) x 2400mm (H)



Planter Pergola

7400 (L) x 3600 (W) x 2200mm (H)
x2 Noughts & Crosses Play Panel
x2 Talking Tubes
x2 Planter with Benches



Steel feet options available upon request

TEENAGE



Bike Bridge

Length: 3685mm
 Width: 1215mm
 Height: 628mm
 FFH: 628mm





Half Moon Rising

Length: 3683mm
 Width: 2400mm
 Height: 485mm
 FFH: 485mm

Cycle Balance Beam

Length: 4222mm
 Width: 400mm
 Height: 300mm
 FFH: 300mm



Ramp Junction

Length: 3468mm
 Width: 3468mm
 Height: 597mm
 FFH: 597mm

Bespoke options available, more details and prices are available upon request


Miniature Slalom

Diameter: 150mm
 Height: 400mm
 FFH: 400mm




Ramp Run (Set of 3)

Measurements Per Ramp
 Length: 2387mm
 Width: 400mm
 Height: 299mm
 FFH: 299mm




Maze Slalom

Length: 4050mm
 Width: 2650mm
 Height: 1000mm




Rock and Roller

Length: 3385mm
 Width: 910mm
 Height: 280mm
 FFH: 280mm



Raft

Length: 2411mm
 Width: 800mm
 Height: 62mm
 FFH: 62mm



Up & Over

Length: 2344mm
 Width: 600mm
 Height: 653mm
 FFH: 377mm



Bespoke options available, more details and prices are available upon request

BALL GAMES



5 - A - Side Goal

Length: 10140mm
Width: 1050mm
Height: 2810mm

Goal Size: 2.44 x 1.22m

Timber Goal Wall

Length: 7920mm
Width: 950mm
Height: 3510mm

Goal Size: 3.46 x 1.8m



Timber Multi Activity Goal

Length: 7920mm
Width: 1797mm
Height: 3510mm


Goal Size: 2.44 x 1.22m



Timber Multi Activity Goal With Kick Panels

Length: 15620mm
Width: 1797mm
Height: 3510mm


Goal Size: 2.44 x 1.22m



Bespoke options available, more details and prices are available upon request

Timber MUGA's can be produced to any size.

BALL GAMES



18 x 10m Timber MUGA


Length: 18200mm
Width: 10270mm
Height: 3510mm

Pitch Size: 15.85 x 7.92m
Goal Size: 2.44 x 1.22m

29 x 18m Timber MUGA

Length: 29400mm
Width: 18625mm
Height: 3510mm


Pitch Size: 27.10 x 15.62m
Goal Size: 2.44 x 1.22m



5 - A - Side Court

Length: 25484mm
Width: 20590mm
Height: 2810mm


Pitch Size: 23.36 x 17.54m
Goal Size: 2.44 x 1.22m



Timber MUGA With Side Goals

Length: 39766mm
Width: 20200mm
Height: 3510mm

Pitch Size: 37.42 x 17.94m
Goal Size: 2.44 x 1.22m
5 A-Side Goal Size: 1.7 x 0.86m




Bespoke options available, more details and prices are available upon request

BALL GAMES

Dual Goal

Length: 6578
Width: 2790mm
Height: 3911mm

Goal Size: 2.08 x 1.86m




Timber Goal Posts

Length: 4010mm
Width: 1133mm
Height: 1905mm



Basket Ball Net

Length: 1738mm
Width: 1200mm
Height: 3945mm




Bespoke options available, more details and prices are available upon request

TEEN TOWERS

Teen Tower

Length: 2943mm
Width: 2245mm
Height: 3174mm



Steel feet

Galvanised steel feet can be fitted to the Teen Towers for a small additional charge. Steel feet offer an alternative to in ground timbers and can be used in both wet pour surfacing and extended for loose fill bark.

Teen Tower with Buddy Bars

Length: 2974mm
Width: 3481mm
Height: 3174mm



Bespoke options available, more details and prices are available upon request

Fitness stations



Leg Raise

Low Parallel Dip

Parallel Dip



Warm Up Bench

L 2000mm W 835mm H 1250mm
FFH: 200mm
Minimum Area: 17.4m²
L 4940mm W 3835mm


Incline Leg Raise

L 1975mm W 1080mm H 1500mm
FFH: 1500mm
Minimum Area: 18.1m²
L 4858mm W 4080mm



Step Ups

L 2756mm W 301mm H 600mm
FFH: 600mm
Minimum Area: 16.9m²
L 5800mm W 3300mm




Sit Up Bench

L 2100mm W 1080mm H 700mm
FFH: 700mm
Minimum Area: 18.7m²
L 5000mm W 4080mm



Vertical Leg Raise

L 745mm W 750mm H 1600mm
FFH: 1200mm
Minimum Area: 11.7m²
L 3750mm W 3575mm




Low Parallette Bars

L 1076mm W 750mm H 1000mm
FFH: 1000mm
Minimum Area: 12.7m²
L 3980mm W 3600mm



Parallel Dips

L 745mm W 750mm H 1600mm
FFH: 1175mm
Minimum Area: 11.6m²
L 3645mm W 3600mm



Steel feet

Galvanised steel feet can be fitted on all Fitness Equipment items for a small additional charge. Steel feet offer an alternative to in ground timbers and can be used in both wet pour surfacing and extended for loose fill bark.

Steel Feet option available, more details and prices are available upon request


Parallel Ring Beam

L 1200mm W 375mm H 2250mm
FFH: 1950mm
Minimum Area: 16.9m²
L 4860mm W 4000mm




Parallel Trapeze Grips

L 1250mm W 300mm H 2250mm
FFH: 1730mm
Minimum Area: 13.9m²
L 4460mm W 3560mm




Single Bar Chin Up

L 1200mm W 150mm H 1800mm
FFH: 1720mm
Minimum Area: 13.2m²
L 4460mm W 3410mm



1.5m Chin Ups

L 3200mm W 125mm H 1500mm
FFH: 1420mm
Minimum Area: 17.7m²
L 6200mm W 3125mm



Zig Zag Traverse Bars

L 2500mm W 1325mm H 2100mm
FFH: 2100mm
Minimum Area: 24m²
L 5925mm W 5374mm

2.4m Chin Ups

L 3200mm W 125mm H 2400mm
FFH: 2300mm
Minimum Area: 26.1m²
L 7135mm W 4060mm



Bespoke unit sizes available on request

Other Steel colours are available upon request


Other Steel colours are available upon request

Fitness stations

FFH - Free Fall Height


Incline Pull Up

L 1150mm W 125mm H 600mm
 FFH: 600mm
 Minimum Area: 11.3m²
 L 4150mm W 3125mm




Parallel Bars

L 2400mm W 725mm H 1175mm
 FFH: 1175mm
 Minimum Area: 18.4m²
 L 5400mm W 3725mm





Monkey Bars

L 2862mm W 1110mm H 1850mm
 FFH: 1850mm
 Minimum Area: 25.1m²
 L 6050mm W 4510mm



Tarzan Ring Beam

L 3162mm W 1110mm H 2050mm
 FFH: 1750mm
 Minimum Area: 26.5m²
 L 6350mm W 4510mm



Monkey Bar Log

L 3450mm W 720mm H 2085mm
 FFH: 1975mm
 Minimum Area: 24.9m²
 L 6210mm W 4370mm



Sloping Monkey Bar Log

L 4050mm W 720mm H 2850mm
 FFH: 2850mm
 Minimum Area: 32m²
 L 7317mm W 5590mm



Steel feet

Galvanised steel feet can be fitted on all Fitness Equipment items for a small additional charge. Steel feet offer an alternative to in ground timbers and can be used in both wet pour surfacing and extended for loose fill bark.

Steel Feet option available, more details and prices are available upon request

Fitness stations

FFH - Free Fall Height

Sloping Stride Jumps | Set of 5

L 8250mm W 2116mm H 800mm
 FFH: 800mm
 Minimum Area: 57.2m² based on suggested layout
 L 11400mm W 5200mm



Log Hops | Set of 3

L 3125mm W 2400mm H 303mm
 FFH: 303mm
 Minimum Area: 31.4m² based on suggested layout
 L 6125mm W 5380mm




Run and Leap

L 2125mm W 2400mm H 888mm
 FFH: 888mm
 Minimum Area: 26m²
 L 5125mm W 5380mm



Over and Under

L 2925mm W 2400mm H 1100mm
 FFH: 1100mm
 Minimum Area: 30.3m² based on suggested layout
 L 5925mm W 5380mm



Vault and Leap | Set of 5

L 8250mm W 4473mm H 1200mm
 FFH: 1200mm
 Minimum Area: 78.4m² based on suggested layout
 L 11000mm W 7301mm



Bespoke unit sizes available on request

Other Steel colours are available upon request


Other Steel colours are available upon request

Fitness stations

FFH - Free Fall Height


Timber Gate Climber

L 1900mm W 312mm H 1900mm
 FFH: 1900mm
 Minimum Area: 18.7m²
 L 5420mm W 3895mm




Assault Wall

L 1500mm W 450mm H 2100mm
 FFH: 2100mm
 Minimum Area: 17.7m²
 L 5020mm W 3970mm




Dip Station

L 2034mm W 1675mm H 1600mm
 FFH: 1200mm
 Minimum Area: 18.5m²
 L 4750mm W 4580mm



Tone Up Zone

L 4203mm W 2542mm H 2250mm
 FFH: 1950mm
 Minimum Area: 33.2m²
 L 7015mm W 6045mm



Steel feet

Galvanised steel feet can be fitted on all Fitness Equipment items for a small additional charge. Steel feet offer an alternative to in ground timbers and can be used in both wet pour surfacing and extended for loose fill bark.



Steel Feet option available, more details and prices are available upon request

Fitness stations

FFH - Free Fall Height



Pull Up Station

L 3825mm W 3180mm H 1800mm
 FFH: 1800mm
 Minimum Area: 38.4m²
 L 6840mm W 7500mm




Assault Net

L 2700mm W 450mm H 2160mm
 FFH: 2160mm
 Minimum Area: 21.4m²
 L 6301mm W 3800mm




Rope Climb

L 3000mm W 450mm H 3050mm
 FFH: 3000mm
 Minimum Area: 35.7m²
 L 8000mm W 5000mm



Workout Circuit

L 8025mm W 4582mm H 2250mm
 FFH: 1950mm
 Minimum Area: 59.4m²
 L 11225mm W 7838mm



Steel Feet option available, more details and prices are available upon request

Other Steel colours are available upon request

Other Steel colours are available upon request

Make your space stand out with

STAND ALONE

Playground products...



B
A
D
G
E
R



B
U
T
T
E
R
F
L
Y



S
P
I
D
E
R

Bespoke options Available

TIMBER BRIDGES

4.1m Flat Bridge
L 4100 W 1457 H 1200mm



2.1m Flat Bridge
L 2100 W 1457 H 1200mm



Hump Bridge
L 1671 W 1309 H 195mm



Inclusive Bridge
L 4230 W 1457 H 1130mm



Sleeper Tunnel With Steps
L 2400 W 1390 H 1700mm

Arch Bridge
L 2307 W 1457 H 1250mm



Wavy Bridge
L 2282 W 1457 H 1200mm



Optional Ramps Sold Separately

Short Access Ramp Only
L 1200 W 1200 H 221mm



Wheelchair Access Ramp Only
L 2400 W 1200 H 221mm




Bespoke options Available

SLEEPER PLAY SCENES

Mountain Range Play Scene
L 3900 W 760 H 1490mm (As Shown)
Includes 6 individual sections with HDPE Panels.



Galleon Play Scene
L 3977 W 1000 H 2100mm (As Shown)
Includes 5 individual sections with HDPE Panels.



Castle Play Scene
L 3310 W 1085 H 2000mm (As Shown)
Includes 5 individual sections with HDPE panels.





Bespoke options Available

Bat Animal Panel
L 417 W 345 D 19mm
Bat Animal Post
L 195 W 95 H 1000mm




Badger Animal Panel
L 341 W 387 D 19mm
Badger Animal Post
L 195 W 95 H 1000mm



Barn Owl Animal Panel
L 334 W 425 D 19mm
Barn Owl Animal Post
L 195 W 95 H 1000mm



Bumblebee Animal Panel
L 420 W 400 D 19mm
Bumblebee Animal Post
L 195 W 95 H 1000mm




Beetle Animal Panel
L 410 W 440 D 19mm
Beetle Animal Post
L 195 W 95 H 1000mm



Butterfly Animal Panel
L 400 W 325 D 19mm
Butterfly Animal Post
L 195 W 95 H 1000mm



Buzzard Animal Panel
L 428 W 400 D 19mm
Buzzard Animal Post
L 195 W 95 H 1000mm



Crab Animal Panel
L 395 W 245 D 19mm
Crab Animal Post
L 195 W 95 H 1000mm



Deer Animal Panel
L 280 W 444 D 19mm
Deer Animal Post
L 195 W 95 H 1000mm



Dragonfly Animal Panel
L 420 W 307 D 19mm
Dragonfly Animal Post
L 195 W 95 H 1000mm



Dolphin Animal Panel
L 450 W 340 D 19mm
Dolphin Animal Post
L 195 W 95 H 1000mm



Duck Animal Panel
L 360 W 350 D 19mm
Duck Animal Post
L 195 W 95 H 1000mm



Earthworm Animal Panel
L 340 W 390 D 19mm
Earthworm Animal Post
L 195 W 95 H 1000mm



Fox Animal Panel
L 333 W 381 D 19mm
Fox Animal Post
L 195 W 95 H 1000mm




Frog Animal Panel
L 390 W 302 D 19mm
Frog Animal Post
L 195 W 95 H 1000mm



Hedgehog Animal Panel
L 405 W 263 D 19mm
Hedgehog Animal Post
L 195 W 95 H 1000mm



Heron Animal Panel
L 341 W 387 D 19mm
Heron Animal Post
L 195 W 95 H 1000mm



Jellyfish Animal Panel
L 325 W 364 D 19mm
Jellyfish Animal Post
L 195 W 95 H 1000mm



Ladybird Animal Panel
L 428 W 400 D 19mm
Ladybird Animal Post
L 195 W 95 H 1000mm



Mouse Animal Panel
L 380 W 252 D 19mm
Mouse Animal Post
L 195 W 95 H 1000mm



Newt Animal Panel
L 332 W 392 D 19mm
Newt Animal Post
L 195 W 95 H 1000mm



Octopus Animal Panel
L 395 W 322 D 19mm
Octopus Animal Post
L 195 W 95 H 1000mm



Otter Animal Panel
L 386 W 262 D 19mm
Otter Animal Post
L 195 W 95 H 1000mm




Puffin Animal Panel
L 344 W 380 D 19mm
Puffin Animal Post
L 195 W 95 H 1000mm



Bespoke options Available

ANIMAL POSTS

Bespoke options Available



Rabbit Animal Panel
L 386 W 408 D 19mm
Rabbit Animal Post
L 195 W 95 H 1000mm




Salmon Animal Panel
L 342 W 383 D 19mm
Salmon Animal Post
L 195 W 95 H 1000mm




Seahorse Animal Panel
L 350 W 380 D 19mm
Seahorse Animal Post
L 195 W 95 H 1000mm

Seal Animal Panel
L 360 W 233 D 19mm
Seal Animal Post
L 195 W 95 H 1000mm



Snake Animal Panel
L 219 W 387 D 19mm
Snake Animal Post
L 195 W 95 H 1000mm



Snail Animal Panel
L 462 W 298 D 19mm
Snail Animal Post
L 195 W 95 H 1000mm



Spider Animal Panel
L 365 W 365 D 19mm
Spider Animal Post
L 195 W 95 H 1000mm




Squirrel Animal Panel
L 341 W 360 D 19mm
Squirrel Animal Post
L 195 W 95 H 1000mm



Starfish Animal Panel
L 376 W 381 D 19mm
Starfish Animal Post
L 195 W 95 H 1000mm



Swan Animal Panel
L 340 W 255 D 19mm
Swan Animal Post
L 195 W 95 H 1000mm



Turtle Animal Panel
L 357 W 361 D 19mm
Turtle Animal Post
L 195 W 95 H 1000mm

TOTEM POLES

Bespoke options Available

SEASONAL TOTEM POLES

Dimensions
L: 195mm
W: 95mm
H: 1500mm

Spring Totem
Summer Totem
Autumn Totem
Winter Totem

The seasonal totem poles contain playful references to each season of the year.



NURSERY RHYME TOTEM POLES

Dimensions
L: 195mm
W: 95mm
H: 1500mm

Hey Diddle Diddle
Humpty Dumpty
Incy Wincy Spider
Twinkle Twinkle

Each totem pole contains a nursery rhyme with icons.

PLAY TIME TOTEM POLES

Dimensions
L: 195mm
W: 95mm
H: 1500mm

Minibeast Manor
Finger Maze Madness
Treasure Map
Height & Hands

Each totem pole brings a new dimension of educational play to a playground.



All totems available as a group or individually.

Bespoke options Available



Climbing Post
Naturally Shaped Peeled Climbing Post.
Average Diameter: 175mm
Height: 1800mm

Scrambling Post
Naturally Shaped Peeled Scrambling Post.
Average Diameter: 175mm
Height: 2000mm

Peeled Stilts
Naturally Shaped Peeled Stilts.
Average Tall Post Diameter: 140mm
Average Stepping Post Diameter: 175mm

HDPE PLAY PANELS



Theatre Play Panel
L 1050 W 125 H 1200mm



Shop Play Panel
L 1050 W 125 H 1200mm



Giraffe Height Panel
H: 1725mm
L: 400mm
W: 19mm



Frog Duck Fish Play Panel
L 1050 W 125 H 1200mm



Hello Across the World Play Panel
L 1050 W 125 H 1200mm

Other colours and designs available, more details available upon request.

Bespoke options Available

THEMED HDPE PANELS



Pirate's Flag
L: 360mm
W: 220mm
D: 19mm



Ship's Wheel
L: 375mm
W: 375mm
D: 19mm



Ship's Anchor
L: 300mm
W: 400mm
D: 19mm



Compass Panel
L: 400mm
W: 400mm
D: 19mm




Porthole Panel
L: 250mm
W: 250mm
D: 19mm


SPORT HDPE PANELS




Cricket Stumps
L: 700mm
W: 250mm
D: 19mm



Small Target Board
L: 800mm
W: 800mm
D: 19mm



Large Target Board
L: 1200mm
W: 1200mm
D: 19mm



Basketball Backboard
L: 1200mm
W: 1050mm
D: 19mm

HDPE PLAY PANELS




Lower Case Alphabet Play Panel
L 1050 W 125 H 1200mm



Upper Case Alphabet Play Panel
L 1050 W 125 H 1200mm



Upper & Lower Case Play Panel
L 1050 W 125 H 1200mm



Number Jumble Play Panel
L 1050 W 125 H 1200mm

HDPE panels are available in a range of colours. Due to its strength and weather resistant qualities it is ideal for use in playgrounds.

Looking after our environment is extremely important, that is why we offer a range of recycled HDPE. The two colour sheet with black core offers an eco-friendly alternative to the standard HDPE.

Other colours and designs available, more details available upon request.



Bespoke options Available

Different Signs Available



Marker Mast Post


L 150 W 150 H 1000mm
 Marker Masts are designed to provide useful information for any trail.

Constructed from 150mm diameter round timber and recycled HDPE. Each post has an information sign recessed into the angle top with an additional arrow marker which can be rotated 360 Degrees.

Each Marker Mast comes with distance sign & directional arrow.




Walk a Mile Sign
 L 720 W 125 H 1250mm



Bespoke options Available

400m - 1600m Group.
 4 Individual posts ascending in 400m intervals.



200m - 1600m Group.
 8 Individual posts ascending in 200m intervals.



100m - 1600m Group.
 16 Individual posts ascending in 100m intervals.



50m - 1600m Group.
 32 Individual posts ascending in 50m intervals.



Outdoor amenity Products



Planters

Small Half Round Planter
L 900 W 900 H 300mm



Medium Half Round Planter
L 1800 W 900 H 300mm



Raised Tiered Timber Bed Planter
L 900 W 900 H 780mm



Low Timber Bed Planter
L 1800 W 900 H 390mm



1.8m Round Log Planter
L 1800 W 1800 H 650mm



0.9m Round Log Planter
L 900 W 900 H 650mm



1.58m 3 Tier Small Sleeper Planter
L 1580 W 1580 H 780mm



0.95m Sleeper Planter
L 950 W 950 H 585mm



1.8m Sleeper Planter
L 1800 W 950 H 585mm



Bespoke Options Available

Large Half Round Planter
L 2450 W 1250 H 300mm



High Timber Bed Planter
L 1800 W 450 H 585mm



1.85m Planter Bench
L 1850 W 650 H 600mm



2.15m 3 Tier Large Sleeper Planter
L 2150 W 2150 H 780mm



2.4m Sleeper Planter
L 2400 W 950 H 585mm




Benches

Rednall Bench Steel (No Back)
L 1660 W 310 H 445mm




Rednall Bench Steel
L 1660 W 509 H 794mm



Rednall Bench Timber (No Back)
L 1660 W 298 H 450mm




Rednall Bench Timber
L 1660 W 502 H 786mm



Holt Picnic Bench Steel Top
L 1660 W 1340 H 766mm



Holt Picnic Bench Timber Top
L 1660 W 1355 H 781mm



Bespoke Options Available


Ifton Bench
L 1800 W 400 H 450mm



Aston Bench
L 1800 W 629 H 893mm



Knolton Bench
L 2000 W 518 H 740mm



Frankton Picnic Bench
L 1660 W 1540 H 765mm




Timber content only supplied for planters.

All tables and benches can be supplied wheelchair accessible.

Seating

Bespoke Options Available

Buddy Bench
L 1680 W 1455 H 350mm



Friendship Bench
L 2200 W 195 H 1879mm



Story Telling Chair
L 780 W 485 H 1400mm



Once Upon a Time Chair
L 775 W 772 H 1336mm



Button Stool
L 195 W 195 H 400mm




Check out our Website or Story Time Brochure for more Button Stool and Toadstool options!



Toadstool
L 300mm W 300mm H 400mm

1.4m Sleeper Table and Benches
L 1400 W 1095 H 620mm



2.4m Sleeper Table and Benches
L 2400 W 1095 H 620mm



3.6m Sleeper Bench
L 3600 W 195 H 420mm



2.4m Sleeper Bench
L 2400 W 195 H 420mm


1.4m Sleeper Bench
L 1400 W 195 H 420mm

All tables and benches can be supplied wheelchair accessible.

Seating

Bespoke Options Available


2m Half Hexagonal Bench
L 1983 W 890 H 470mm



1.3m Curved Sleeper Bench
L 1294 W 385 H 420mm



1.8m Curved Sleeper Bench
L 1793 W 388 H 420mm



2m Hexagonal Tree Seat
L 2056 W 1780 H 470mm



3m Open Octagonal Bench
L 3000 W 2663 H 450mm



3m Half Octagonal Bench
L 3000 W 1700 H 450mm



3m Octagonal Tree Seat
L 3000 W 3000 H 450mm

All tables and benches can be supplied wheelchair accessible.


Amphitheatres

Bespoke Options Available




2 Tier 5 Sided Amphitheatre
 L 6321mm
 W 3003mm
 H 585mm

Tier 1 Height = 390mm
 Tier 2 Height = 585mm
Timber Content Only
Sits Approx 30-35 Children




2 Tier Curved Amphitheatre Including Stage
 L 7994mm
 W 4095mm
 H 600mm

Tier 1 Height = 300mm
 Tier 2 Height = 600mm
 Stage Height = 146mm
Timber Content Only
Sits Approx 45-50 Children



3 Tier Curved Amphitheatre
 L 7160mm
 W 3675mm
 H 780mm

Tier 1 Height = 300mm
 Tier 2 Height = 540mm
 Tier 3 Height = 780mm
Timber Content Only
Sits Approx 50-55 Children




3 Tier 3 Sided Amphitheatre
 L 6956mm
 W 3000mm
 H 780mm

Tier 1 Height = 390mm
 Tier 2 Height = 585mm
 Tier 3 Height = 780mm
Timber Content Only
Sits Approx 40-45 Children

Timber content only supplied for amphitheatres.

Amphitheatres


Bespoke Options Available



3 Tier 5 Sided Amphitheatre
 L 7362mm
 W 3500mm
 H 780mm

Tier 1 Height = 390mm
 Tier 2 Height = 585mm
 Tier 3 Height = 780mm
Timber Content Only
Sits Approx 55-60 Children

Theatre Area
 L 6120mm
 W 3964mm
 H 1580mm
 Seat Height = 350mm
 Stage Height = 146mm
Timber Content Only
Sits Approx 15-20 Children



3 Tier Square Amphitheatre
 L 6430mm
 W 2760mm
 H 780mm

Tier 1 Height = 390mm
 Tier 2 Height = 585mm
 Tier 3 Height = 780mm
Timber Content Only
Sits Approx 50-55 Children



3 Tier Square Staggered Amphitheatre
 L 6430mm
 W 3370mm
 H 780mm
 Tier 1 Height = 390mm
 Tier 2 Height = 585mm
 Tier 3 Height = 780mm
Timber Content Only
Sits Approx 60-65 Children



Timber content only supplied for amphitheatres.

Pergolas

Circular Pergola
 Outer Radius: 9000mm
 Inner Radius: 6500mm
 Height: 2600mm

Straight Pergola
 L 4000 W 3000 H 2400mm

Planter Pergola
 L 7400 W 3600 H 2200mm
 x2 Noughts and Crosses Play Panel
 x2 Talking Tubes
 x2 Planters with Benches



Bespoke Options Available

Finger Posts

Finger Post
 Height: 2400mm
 Width: 1600mm

Each directional pointer is engraved on both sides and can be made bespoke to your exact requirements.

Standard Finger Post



Deluxe Finger Post with bespoke HDPE name sign also available



If you require any more information do not hesitate to ask.

Palisade Fencing


Bespoke Options Available

Standard Palisade Fencing
 Length 2450mm
 Width: 150mm
 Height: 1000/1200mm

Dimensions per standard section.



Standard Palisade Gate
 Length: 1530mm Width: 163mm
 Height: 1000/1200mm



Self Closing Palisade Gate
 Length: 1420mm Width: 145mm
 Height: 1000/1200mm



Palisade 2.4m Maintenance Gate
 Length: 2773mm
 Width: 163mm
 Height: 1000/1200mm

Timber Palisade Fencing is an ideal way to secure any playground!



Image Shows

- 2.4m maintenance Gate.
- Self Closing Gate.
- Standard Palisade Fence Sections.

If you require any more information do not hesitate to ask.

Tree Trunks

Bespoke Options Available




Tree Trunks

Perfect for children's gardens, outdoor play, or natural seating.

Each Tree Trunk adds an element of natural play to any outdoor space. The tree trunks are not treated so they will naturally decay over time.

Available in lengths up to 3.6m with an average diameter between 50 - 60cm.

2.4m Tree Trunk Bench




Average diameter between 50 - 60cm

2.4m Tree Trunk Balance Beam



L: 2400mm W: 550mm H: 550mm
(approx dimensions)



Available Features Include:

Seat Cut Outs




Flat Top & Cross Hatch



'V' Cut Outs



Peeled



Tree Trunks

Bespoke Options Available



Tree Trunk Chair With Natural Stools



Create a natural seating area by combining the tree trunk chair and natural stools. Both products can be supplied with the bark intact or peeled.

It is important to note that all the Tree Trunk products are untreated, and the bark and timber will naturally decay over time.

Natural Stool

Dia: 175 - 225mm H: 500mm
(approx dimensions)

Tree Trunk Chair

Dia: 500-600mm H: 1000mm
(approx dimensions)

Natural Stepping Logs

Dia: 500-600mm Height: 150mm
(approx dimensions)



Natural Step Ups

L: 1610mm W: 550mm H: 450mm
(approx dimensions)



Timber Fencing



Palisade Fencing

Standard Palisade Fencing

Length: 2450mm
Width: 150mm
Height: 1000 or 1200mm

Dimensions per standard section but can be supplied in any length.



1000mm
Or
1200mm




1000mm
Or
1200mm

Standard Palisade Gate

Includes HDPE Entrance & Exit Sign

Length: 1530mm
Width: 189mm
Height: 1000 or 1200mm



Self Closing Palisade Gate

Includes HDPE Entrance & Exit Sign

Length: 1420mm
Width: 201mm
Height: 1000 or 1200mm



1000mm
Or
1200mm



If you require any more information do not hesitate to ask.

Palisade Fencing

HDPE signs are available in a wide range of colours.

HDPE and Timber Archway Signs are available as a standalone product without the gate.



Palisade Gate with HDPE Archway Sign
Standard or Self Close Gate
Options Available


Length: 1685mm
Width: 189mm
Height: 2230mm
Gate Height: 1000 or 1200mm



Palisade Gate with Timber Archway Sign
Standard or Self Close Gate
Options Available

Length: 1600mm
Width: 196mm
Height: 2242mm
Gate Height: 1000 or 1200mm


Timber Palisade Fencing is an ideal way to secure any playground!



1000mm
Or
1200mm

Palisade 2.4m Maintenance Gate



Length: 2773mm
Width: 163mm
Height: 1000 or 1200mm



If you require any more information do not hesitate to ask.

Landscape Fencing

Post and 3 Rail Fencing
Width: 150mm
Height: 1000 or 1200mm





Includes posts, rails and fixing screws.
Optional PVC coated wire mesh also available.

1000mm
Or
1200mm



Post and 2 Rail Fencing
Width: 150mm
Height: 1000 or 1200mm



Includes posts, rails and fixing screws.
Optional PVC coated wire mesh also available.

Can be installed as top and middle rails or top and bottom with mesh.

1000mm
Or
1200mm



Knee Rail Fencing uses 125mm timber legs and rails with Galvanised Steel straps and screws provided

Knee Rail Fencing
Width: 125mm
Height: 450mm




If you require any more information do not hesitate to ask.

Landscape Fencing

Knee Rope Fencing
Width: 95mm
Height: 600mm



Constructed from 95mm square posts with 32mm thick rope.



Post and Rope Fencing uses 125mm posts with 32mm Rope.

Post and Rope Fencing
Width: 125mm
Height: 1200mm



Mountain Scene Fencing
Length 2400mm, Width: 133mm, Height: 1125mm




Castle Fencing
Length 2400mm, Width: 133mm, Height: 1125mm



Themed fencing comes in 2.4m long panels and uses the same posts and rails as the standard Palisade fencing.



Peek a Boo Fencing
Length 2400mm, Width: 133mm, Height: 1125mm



Nautical Fencing
Length 2400mm, Width: 133mm, Height: 1125mm


If you require any more information do not hesitate to ask.

19mm HDPE Weather Accessories

HDPE Accessories can be screwed to Palisade fencing to create a themed area.

Sunshine

W: 354mm, H: 357mm



Cloudy

W: 415mm, H: 376mm



Raining

W: 341mm, H: 368mm




Lightning

W: 318mm, H: 466mm



Windy

W: 584mm, H: 311mm



Rainbow

W: 547mm, H: 300mm



Snowing

W: 342mm, H: 418mm



19mm HDPE Farmyard Animals Accessories

Chicken

W: 326mm, H: 360mm



Pig

W: 290mm
H: 305mm



Turkey

W: 311mm, H: 255mm



Sheep

W: 351mm
H: 330mm



Horse

W: 394mm
H: 349mm



Cow

W: 365mm
H: 384mm



If you require any more information do not hesitate to ask.

19mm HDPE Numbers and Arrows Accessories

0 - 9 Numbers

W: 315mm, H: 207mm

Approx size per number




Arrows

Straight - W: 295mm, H: 168mm

Corner - W: 247mm, H: 235mm

Curved - W: 302mm, H: 168mm

Double - W: 339mm, H: 168mm



Landscape Timbers

Retaining Sleepers

Width: 195mm

Height: 95mm

Retaining Tower Posts

Width: 95mm


Height: 95mm

High quality sustainable Radiata Pine Sleepers and Tower Posts are ideal for raised planters, soil ground retaining walls, steps and terracing. Available in any length up to 4.2m long with either a sanded smooth finish with rounded edges, or with square edges non sanded. Cross hatching can be added to the sleepers to provide extra grip when used as steps.

Retaining Round Timbers

Width: 100 / 125 / 150 and 200mm diameter.

Timbers can be chamfered at either end, dome topped, angle cut, pointed or left square ended.



If you require any more information do not hesitate to ask.



The ability to offer unrivaled value for money whilst still ensuring exceptional quality and longevity is key.

Our range of products accommodates all ages, budgets and play scheme sizes, and our uncompromising approach to safety during the design and manufacturing process is paramount.

In order to ensure the highest level of accuracy, all units are produced on a custom made, state of the art, 6 Axis CNC machine. This technology allows us to offer unparalleled accuracy in the field of play timber production.



Tel: 01604 261690

idverde.co.uk/creating-play

info@idverde.co.uk

idverde, Octavia House, Westwood Business Park, Westwood Way, Coventry CV4 8JP